




Corrugated Radiators

INTRODUCTION

Howard corrugated radiators are specifically designed for original equipment manufacturers and apparatus repair shops engaged in the manufacture or repair of fluid-filled electrical equipment, particularly distribution transformers. Our extensive line of corrugated radiator products is available in a wide range of sizes, cooling capacities and metal types. Optional features are available to satisfy most typical requirements. Custom design services are available for special applications.



QUALITY

Corrugated radiators are manufactured in our Sandersville Components Facility utilizing the latest in precision fabrication and finishing processes to produce the highest quality radiators available in the market. Howard radiator designs deliver exceptional strength, rigidity, and dimensional accuracy. Howard Industries' quality management system is certified to the stringent quality requirements of ISO 9001:2015, recognizing our commitment to quality and continuous improvement.

STANDARD FEATURES

All corrugated radiators are supplied with the following standard features.

- HRPO mild steel construction, unpainted
- Fully welded corrugates

OPTIONAL FEATURES

The following features are available as options. Contact the factory for the availability of other options not listed.

- 409 or 304L stainless steel construction
- Tack welded corrugates

Optional Features continued:

- Green (Munsell 7GY3.29/1.5) or gray (Munsell 5BG7.0/0.4) TGIC powder paint finish

ORDERING INFORMATION

Refer to Figure 1 and Tables 1 through 4 for ordering information, including a complete listing of available sizes and features. Contact the factory for availability of radiator sizes not listed.




Figure 1: Outline drawing of 3.5", 6", 8" and 10" depth corrugated radiators

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101750-101	0100-101752-101	0100-101751-101	15.75	1	2.50	84	3	0.12
0100-101750-102	0100-101752-102	0100-101751-102	15.75	2	5.00	168	6	0.24
0100-101750-103	0100-101752-103	0100-101751-103	15.75	3	7.50	252	10	0.36
0100-101750-104	0100-101752-104	0100-101751-104	15.75	4	10.00	336	13	0.49
0100-101750-105	0100-101752-105	0100-101751-105	15.75	5	12.50	420	16	0.61
0100-101750-106	0100-101752-106	0100-101751-106	15.75	6	15.00	504	19	0.73
0100-101750-107	0100-101752-107	0100-101751-107	15.75	7	17.50	588	22	0.85
0100-101750-108	0100-101752-108	0100-101751-108	15.75	8	20.00	672	25	0.97
0100-101750-109	0100-101752-109	0100-101751-109	15.75	9	22.50	756	29	1.09
0100-101750-110	0100-101752-110	0100-101751-110	15.75	10	25.00	840	32	1.21
0100-101750-111	0100-101752-111	0100-101751-111	15.75	11	27.50	925	35	1.34
0100-101750-112	0100-101752-112	0100-101751-112	15.75	12	30.00	1009	38	1.46
0100-101750-113	0100-101752-113	0100-101751-113	15.75	13	32.50	1093	41	1.58
0100-101750-114	0100-101752-114	0100-101751-114	15.75	14	35.00	1177	45	1.70
0100-101750-115	0100-101752-115	0100-101751-115	15.75	15	37.50	1261	48	1.82
0100-101750-116	0100-101752-116	0100-101751-116	15.75	16	40.00	1345	51	1.94
0100-101750-117	0100-101752-117	0100-101751-117	15.75	17	42.50	1429	54	2.06
0100-101750-118	0100-101752-118	0100-101751-118	15.75	18	45.00	1513	57	2.19
0100-101750-119	0100-101752-119	0100-101751-119	15.75	19	47.50	1597	60	2.31
0100-101750-120	0100-101752-120	0100-101751-120	15.75	20	50.00	1681	64	2.43
0100-101750-121	0100-101752-121	0100-101751-121	15.75	21	52.50	1765	67	2.55
0100-101750-122	0100-101752-122	0100-101751-122	15.75	22	55.00	1849	70	2.67
0100-101750-123	0100-101752-123	0100-101751-123	15.75	23	57.50	1933	73	2.79
0100-101750-124	0100-101752-124	0100-101751-124	15.75	24	60.00	2017	76	2.91
0100-101750-125	0100-101752-125	0100-101751-125	15.75	25	62.50	2101	80	3.04
0100-101750-126	0100-101752-126	0100-101751-126	15.75	26	65.00	2185	83	3.16
0100-101750-127	0100-101752-127	0100-101751-127	15.75	27	67.50	2269	86	3.28
0100-101750-128	0100-101752-128	0100-101751-128	15.75	28	70.00	2353	89	3.40
0100-101750-129	0100-101752-129	0100-101751-129	15.75	29	72.50	2437	92	3.52
0100-101750-130	0100-101752-130	0100-101751-130	15.75	30	75.00	2521	95	3.64
0100-101750-131	0100-101752-131	0100-101751-131	15.75	31	77.50	2606	99	3.76
0100-101750-132	0100-101752-132	0100-101751-132	15.75	32	80.00	2690	102	3.88
0100-101750-133	0100-101752-133	0100-101751-133	15.75	33	82.50	2774	105	4.01
0100-101750-134	0100-101752-134	0100-101751-134	15.75	34	85.00	2858	108	4.13
0100-101750-135	0100-101752-135	0100-101751-135	15.75	35	87.50	2942	111	4.25
0100-101750-136	0100-101752-136	0100-101751-136	15.75	36	90.00	3026	114	4.37
0100-100852-101	0100-100952-101	0100-101652-101	17.00	1	2.50	91	3	0.13

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100852-102	0100-100952-102	0100-101652-102	17.00	2	5.00	181	7	0.26
0100-100852-103	0100-100952-103	0100-101652-103	17.00	3	7.50	272	10	0.39
0100-100852-104	0100-100952-104	0100-101652-104	17.00	4	10.00	363	14	0.52
0100-100852-105	0100-100952-105	0100-101652-105	17.00	5	12.50	454	17	0.66
0100-100852-106	0100-100952-106	0100-101652-106	17.00	6	15.00	544	21	0.79
0100-100852-107	0100-100952-107	0100-101652-107	17.00	7	17.50	635	24	0.92
0100-100852-108	0100-100952-108	0100-101652-108	17.00	8	20.00	726	27	1.05
0100-100852-109	0100-100952-109	0100-101652-109	17.00	9	22.50	816	31	1.18
0100-100852-110	0100-100952-110	0100-101652-110	17.00	10	25.00	907	34	1.31
0100-100852-111	0100-100952-111	0100-101652-111	17.00	11	27.50	998	38	1.44
0100-100852-112	0100-100952-112	0100-101652-112	17.00	12	30.00	1089	41	1.57
0100-100852-113	0100-100952-113	0100-101652-113	17.00	13	32.50	1179	45	1.70
0100-100852-114	0100-100952-114	0100-101652-114	17.00	14	35.00	1270	48	1.83
0100-100852-115	0100-100952-115	0100-101652-115	17.00	15	37.50	1361	51	1.97
0100-100852-116	0100-100952-116	0100-101652-116	17.00	16	40.00	1452	55	2.10
0100-100852-117	0100-100952-117	0100-101652-117	17.00	17	42.50	1542	58	2.23
0100-100852-118	0100-100952-118	0100-101652-118	17.00	18	45.00	1633	62	2.36
0100-100852-119	0100-100952-119	0100-101652-119	17.00	19	47.50	1724	65	2.49
0100-100852-120	0100-100952-120	0100-101652-120	17.00	20	50.00	1814	69	2.62
0100-100852-121	0100-100952-121	0100-101652-121	17.00	21	52.50	1905	72	2.75
0100-100852-122	0100-100952-122	0100-101652-122	17.00	22	55.00	1996	76	2.88
0100-100852-123	0100-100952-123	0100-101652-123	17.00	23	57.50	2087	79	3.01
0100-100852-124	0100-100952-124	0100-101652-124	17.00	24	60.00	2177	82	3.14
0100-100852-125	0100-100952-125	0100-101652-125	17.00	25	62.50	2268	86	3.28
0100-100852-201	0100-100952-201	0100-101652-201	20.00	1	2.50	108	4	0.14
0100-100852-202	0100-100952-202	0100-101652-202	20.00	2	5.00	215	8	0.29
0100-100852-203	0100-100952-203	0100-101652-203	20.00	3	7.50	323	12	0.43
0100-100852-204	0100-100952-204	0100-101652-204	20.00	4	10.00	431	16	0.58
0100-100852-205	0100-100952-205	0100-101652-205	20.00	5	12.50	539	20	0.72
0100-100852-206	0100-100952-206	0100-101652-206	20.00	6	15.00	646	24	0.86
0100-100852-207	0100-100952-207	0100-101652-207	20.00	7	17.50	754	28	1.01
0100-100852-208	0100-100952-208	0100-101652-208	20.00	8	20.00	862	32	1.15
0100-100852-209	0100-100952-209	0100-101652-209	20.00	9	22.50	969	36	1.30
0100-100852-210	0100-100952-210	0100-101652-210	20.00	10	25.00	1077	40	1.44
0100-100852-211	0100-100952-211	0100-101652-211	20.00	11	27.50	1185	44	1.58
0100-100852-212	0100-100952-212	0100-101652-212	20.00	12	30.00	1292	48	1.73
0100-100852-213	0100-100952-213	0100-101652-213	20.00	13	32.50	1400	53	1.87

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100852-214	0100-100952-214	0100-101652-214	20.00	14	35.00	1508	57	2.02
0100-100852-215	0100-100952-215	0100-101652-215	20.00	15	37.50	1616	61	2.16
0100-100852-216	0100-100952-216	0100-101652-216	20.00	16	40.00	1723	65	2.30
0100-100852-217	0100-100952-217	0100-101652-217	20.00	17	42.50	1831	69	2.45
0100-100852-218	0100-100952-218	0100-101652-218	20.00	18	45.00	1939	73	2.59
0100-100852-219	0100-100952-219	0100-101652-219	20.00	19	47.50	2046	77	2.74
0100-100852-220	0100-100952-220	0100-101652-220	20.00	20	50.00	2154	81	2.88
0100-100852-221	0100-100952-221	0100-101652-221	20.00	21	52.50	2262	85	3.02
0100-100852-222	0100-100952-222	0100-101652-222	20.00	22	55.00	2369	89	3.17
0100-100852-223	0100-100952-223	0100-101652-223	20.00	23	57.50	2477	93	3.31
0100-100852-224	0100-100952-224	0100-101652-224	20.00	24	60.00	2585	97	3.46
0100-100852-225	0100-100952-225	0100-101652-225	20.00	25	62.50	2693	101	3.60
0100-101750-301	0100-101752-301	0100-101751-301	23.62	1	2.50	127	5	0.17
0100-101750-302	0100-101752-302	0100-101751-302	23.62	2	5.00	254	10	0.34
0100-101750-303	0100-101752-303	0100-101751-303	23.62	3	7.50	382	14	0.51
0100-101750-304	0100-101752-304	0100-101751-304	23.62	4	10.00	509	19	0.68
0100-101750-305	0100-101752-305	0100-101751-305	23.62	5	12.50	636	24	0.85
0100-101750-306	0100-101752-306	0100-101751-306	23.62	6	15.00	763	29	1.02
0100-101750-307	0100-101752-307	0100-101751-307	23.62	7	17.50	890	33	1.19
0100-101750-308	0100-101752-308	0100-101751-308	23.62	8	20.00	1018	38	1.36
0100-101750-309	0100-101752-309	0100-101751-309	23.62	9	22.50	1145	43	1.53
0100-101750-310	0100-101752-310	0100-101751-310	23.62	10	25.00	1272	48	1.70
0100-101750-311	0100-101752-311	0100-101751-311	23.62	11	27.50	1399	52	1.87
0100-101750-312	0100-101752-312	0100-101751-312	23.62	12	30.00	1526	57	2.04
0100-101750-313	0100-101752-313	0100-101751-313	23.62	13	32.50	1654	62	2.21
0100-101750-314	0100-101752-314	0100-101751-314	23.62	14	35.00	1781	67	2.38
0100-101750-315	0100-101752-315	0100-101751-315	23.62	15	37.50	1908	72	2.55
0100-101750-316	0100-101752-316	0100-101751-316	23.62	16	40.00	2035	76	2.72
0100-101750-317	0100-101752-317	0100-101751-317	23.62	17	42.50	2162	81	2.89
0100-101750-318	0100-101752-318	0100-101751-318	23.62	18	45.00	2289	86	3.06
0100-101750-319	0100-101752-319	0100-101751-319	23.62	19	47.50	2417	91	3.23
0100-101750-320	0100-101752-320	0100-101751-320	23.62	20	50.00	2544	95	3.40
0100-101750-321	0100-101752-321	0100-101751-321	23.62	21	52.50	2671	100	3.57
0100-101750-322	0100-101752-322	0100-101751-322	23.62	22	55.00	2798	105	3.74
0100-101750-323	0100-101752-323	0100-101751-323	23.62	23	57.50	2925	110	3.91
0100-101750-324	0100-101752-324	0100-101751-324	23.62	24	60.00	3053	114	4.08
0100-101750-325	0100-101752-325	0100-101751-325	23.62	25	62.50	3180	119	4.25

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101750-326	0100-101752-326	0100-101751-326	23.62	26	65.00	3307	124	4.42
0100-101750-327	0100-101752-327	0100-101751-327	23.62	27	67.50	3434	129	4.59
0100-101750-328	0100-101752-328	0100-101751-328	23.62	28	70.00	3561	134	4.76
0100-101750-329	0100-101752-329	0100-101751-329	23.62	29	72.50	3689	138	4.93
0100-101750-330	0100-101752-330	0100-101751-330	23.62	30	75.00	3816	143	5.10
0100-101750-331	0100-101752-331	0100-101751-331	23.62	31	77.50	3943	148	5.27
0100-101750-332	0100-101752-332	0100-101751-332	23.62	32	80.00	4070	153	5.44
0100-101750-333	0100-101752-333	0100-101751-333	23.62	33	82.50	4197	157	5.61
0100-101750-334	0100-101752-334	0100-101751-334	23.62	34	85.00	4325	162	5.78
0100-101750-335	0100-101752-335	0100-101751-335	23.62	35	87.50	4452	167	5.95
0100-101750-336	0100-101752-336	0100-101751-336	23.62	36	90.00	4579	172	6.12
0100-100852-301	0100-100952-301	0100-101652-301	24.25	1	2.50	133	5	0.18
0100-100852-302	0100-100952-302	0100-101652-302	24.25	2	5.00	267	10	0.37
0100-100852-303	0100-100952-303	0100-101652-303	24.25	3	7.50	400	15	0.55
0100-100852-304	0100-100952-304	0100-101652-304	24.25	4	10.00	533	20	0.74
0100-100852-305	0100-100952-305	0100-101652-305	24.25	5	12.50	666	24	0.92
0100-100852-306	0100-100952-306	0100-101652-306	24.25	6	15.00	800	29	1.10
0100-100852-307	0100-100952-307	0100-101652-307	24.25	7	17.50	933	34	1.29
0100-100852-308	0100-100952-308	0100-101652-308	24.25	8	20.00	1066	39	1.47
0100-100852-309	0100-100952-309	0100-101652-309	24.25	9	22.50	1199	44	1.66
0100-100852-310	0100-100952-310	0100-101652-310	24.25	10	25.00	1333	49	1.84
0100-100852-311	0100-100952-311	0100-101652-311	24.25	11	27.50	1466	54	2.02
0100-100852-312	0100-100952-312	0100-101652-312	24.25	12	30.00	1599	59	2.21
0100-100852-313	0100-100952-313	0100-101652-313	24.25	13	32.50	1732	64	2.39
0100-100852-314	0100-100952-314	0100-101652-314	24.25	14	35.00	1866	69	2.58
0100-100852-315	0100-100952-315	0100-101652-315	24.25	15	37.50	1999	73	2.76
0100-100852-316	0100-100952-316	0100-101652-316	24.25	16	40.00	2132	78	2.94
0100-100852-317	0100-100952-317	0100-101652-317	24.25	17	42.50	2265	83	3.13
0100-100852-318	0100-100952-318	0100-101652-318	24.25	18	45.00	2399	88	3.31
0100-100852-319	0100-100952-319	0100-101652-319	24.25	19	47.50	2532	93	3.50
0100-100852-320	0100-100952-320	0100-101652-320	24.25	20	50.00	2665	98	3.68
0100-100852-321	0100-100952-321	0100-101652-321	24.25	21	52.50	2798	103	3.86
0100-100852-322	0100-100952-322	0100-101652-322	24.25	22	55.00	2932	108	4.05
0100-100852-323	0100-100952-323	0100-101652-323	24.25	23	57.50	3065	113	4.23
0100-100852-324	0100-100952-324	0100-101652-324	24.25	24	60.00	3198	118	4.42
0100-100852-325	0100-100952-325	0100-101652-325	24.25	25	62.50	3331	122	4.60
0100-100852-801	0100-100952-801	0100-101652-801	26.00	1	2.50	157	5	0.19

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100852-802	0100-100952-802	0100-101652-802	26.00	2	5.00	314	11	0.37
0100-100852-803	0100-100952-803	0100-101652-803	26.00	3	7.50	471	16	0.56
0100-100852-804	0100-100952-804	0100-101652-804	26.00	4	10.00	628	21	0.74
0100-100852-805	0100-100952-805	0100-101652-805	26.00	5	12.50	785	26	0.93
0100-100852-806	0100-100952-806	0100-101652-806	26.00	6	15.00	942	32	1.12
0100-100852-807	0100-100952-807	0100-101652-807	26.00	7	17.50	1099	37	1.30
0100-100852-808	0100-100952-808	0100-101652-808	26.00	8	20.00	1256	42	1.49
0100-100852-809	0100-100952-809	0100-101652-809	26.00	9	22.50	1413	47	1.67
0100-100852-810	0100-100952-810	0100-101652-810	26.00	10	25.00	1570	53	1.86
0100-100852-811	0100-100952-811	0100-101652-811	26.00	11	27.50	1727	58	2.05
0100-100852-812	0100-100952-812	0100-101652-812	26.00	12	30.00	1884	63	2.23
0100-100852-813	0100-100952-813	0100-101652-813	26.00	13	32.50	2041	68	2.42
0100-100852-814	0100-100952-814	0100-101652-814	26.00	14	35.00	2198	74	2.60
0100-100852-815	0100-100952-815	0100-101652-815	26.00	15	37.50	2355	79	2.79
0100-100852-816	0100-100952-816	0100-101652-816	26.00	16	40.00	2512	84	2.98
0100-100852-817	0100-100952-817	0100-101652-817	26.00	17	42.50	2669	89	3.16
0100-100852-818	0100-100952-818	0100-101652-818	26.00	18	45.00	2826	95	3.35
0100-100852-819	0100-100952-819	0100-101652-819	26.00	19	47.50	2983	100	3.53
0100-100852-820	0100-100952-820	0100-101652-820	26.00	20	50.00	3140	105	3.72
0100-100852-821	0100-100952-821	0100-101652-821	26.00	21	52.50	3297	110	3.91
0100-100852-822	0100-100952-822	0100-101652-822	26.00	22	55.00	3454	116	4.09
0100-100852-823	0100-100952-823	0100-101652-823	26.00	23	57.50	3611	121	4.28
0100-100852-824	0100-100952-824	0100-101652-824	26.00	24	60.00	3768	126	4.46
0100-100852-825	0100-100952-825	0100-101652-825	26.00	25	62.50	3925	131	4.65
0100-100659-801	0100-100660-801	0100-100661-801	27.60	1	2.50	184	6	0.21
0100-100659-802	0100-100660-802	0100-100661-802	27.60	2	5.00	367	11	0.42
0100-100659-803	0100-100660-803	0100-100661-803	27.60	3	7.50	551	17	0.64
0100-100659-804	0100-100660-804	0100-100661-804	27.60	4	10.00	735	22	0.85
0100-100659-805	0100-100660-805	0100-100661-805	27.60	5	12.50	918	28	1.06
0100-100659-806	0100-100660-806	0100-100661-806	27.60	6	15.00	1102	33	1.27
0100-100659-807	0100-100660-807	0100-100661-807	27.60	7	17.50	1286	39	1.49
0100-100659-808	0100-100660-808	0100-100661-808	27.60	8	20.00	1470	45	1.70
0100-100659-809	0100-100660-809	0100-100661-809	27.60	9	22.50	1653	50	1.91
0100-100659-810	0100-100660-810	0100-100661-810	27.60	10	25.00	1837	56	2.12
0100-100659-811	0100-100660-811	0100-100661-811	27.60	11	27.50	2021	61	2.34
0100-100659-812	0100-100660-812	0100-100661-812	27.60	12	30.00	2204	67	2.55
0100-100659-813	0100-100660-813	0100-100661-813	27.60	13	32.50	2388	72	2.76

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100659-814	0100-100660-814	0100-100661-814	27.60	14	35.00	2572	78	2.97
0100-100659-815	0100-100660-815	0100-100661-815	27.60	15	37.50	2755	84	3.19
0100-100659-816	0100-100660-816	0100-100661-816	27.60	16	40.00	2939	89	3.40
0100-100659-817	0100-100660-817	0100-100661-817	27.60	17	42.50	3123	95	3.61
0100-100659-818	0100-100660-818	0100-100661-818	27.60	18	45.00	3306	100	3.82
0100-100659-819	0100-100660-819	0100-100661-819	27.60	19	47.50	3490	106	4.04
0100-100659-820	0100-100660-820	0100-100661-820	27.60	20	50.00	3674	111	4.25
0100-100659-821	0100-100660-821	0100-100661-821	27.60	21	52.50	3858	117	4.46
0100-100659-822	0100-100660-822	0100-100661-822	27.60	22	55.00	4041	123	4.67
0100-100659-823	0100-100660-823	0100-100661-823	27.60	23	57.50	4225	128	4.89
0100-100659-824	0100-100660-824	0100-100661-824	27.60	24	60.00	4409	134	5.10
0100-100659-825	0100-100660-825	0100-100661-825	27.60	25	62.50	4592	139	5.31
0100-100659-826	0100-100660-826	0100-100661-826	27.60	26	65.00	4776	145	5.52
0100-100659-827	0100-100660-827	0100-100661-827	27.60	27	67.50	4960	150	5.73
0100-100659-828	0100-100660-828	0100-100661-828	27.60	28	70.00	5143	156	5.95
0100-100659-829	0100-100660-829	0100-100661-829	27.60	29	72.50	5327	162	6.16
0100-100659-830	0100-100660-830	0100-100661-830	27.60	30	75.00	5511	167	6.37
0100-100659-831	0100-100660-831	0100-100661-831	27.60	31	77.50	5694	173	6.58
0100-100659-832	0100-100660-832	0100-100661-832	27.60	32	80.00	5878	178	6.80
0100-100659-833	0100-100660-833	0100-100661-833	27.60	33	82.50	6062	184	7.01
0100-100659-834	0100-100660-834	0100-100661-834	27.60	34	85.00	6245	189	7.22
0100-100659-835	0100-100660-835	0100-100661-835	27.60	35	87.50	6429	195	7.43
0100-100659-836	0100-100660-836	0100-100661-836	27.60	36	90.00	6613	201	7.65
0100-101750-401	0100-101752-401	0100-101751-401	29.53	1	2.50	197	6	0.21
0100-101750-402	0100-101752-402	0100-101751-402	29.53	2	5.00	393	12	0.42
0100-101750-403	0100-101752-403	0100-101751-403	29.53	3	7.50	590	18	0.64
0100-101750-404	0100-101752-404	0100-101751-404	29.53	4	10.00	786	24	0.85
0100-101750-405	0100-101752-405	0100-101751-405	29.53	5	12.50	983	30	1.06
0100-101750-406	0100-101752-406	0100-101751-406	29.53	6	15.00	1179	36	1.27
0100-101750-407	0100-101752-407	0100-101751-407	29.53	7	17.50	1376	42	1.49
0100-101750-408	0100-101752-408	0100-101751-408	29.53	8	20.00	1572	48	1.70
0100-101750-409	0100-101752-409	0100-101751-409	29.53	9	22.50	1769	54	1.91
0100-101750-410	0100-101752-410	0100-101751-410	29.53	10	25.00	1965	60	2.12
0100-101750-411	0100-101752-411	0100-101751-411	29.53	11	27.50	2162	66	2.34
0100-101750-412	0100-101752-412	0100-101751-412	29.53	12	30.00	2358	72	2.55
0100-101750-413	0100-101752-413	0100-101751-413	29.53	13	32.50	2555	78	2.76
0100-101750-414	0100-101752-414	0100-101751-414	29.53	14	35.00	2752	83	2.97

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101750-415	0100-101752-415	0100-101751-415	29.53	15	37.50	2948	89	3.19
0100-101750-416	0100-101752-416	0100-101751-416	29.53	16	40.00	3145	95	3.40
0100-101750-417	0100-101752-417	0100-101751-417	29.53	17	42.50	3341	101	3.61
0100-101750-418	0100-101752-418	0100-101751-418	29.53	18	45.00	3538	107	3.82
0100-101750-419	0100-101752-419	0100-101751-419	29.53	19	47.50	3734	113	4.04
0100-101750-420	0100-101752-420	0100-101751-420	29.53	20	50.00	3931	119	4.25
0100-101750-421	0100-101752-421	0100-101751-421	29.53	21	52.50	4127	125	4.46
0100-101750-422	0100-101752-422	0100-101751-422	29.53	22	55.00	4324	131	4.67
0100-101750-423	0100-101752-423	0100-101751-423	29.53	23	57.50	4520	137	4.89
0100-101750-424	0100-101752-424	0100-101751-424	29.53	24	60.00	4717	143	5.10
0100-101750-425	0100-101752-425	0100-101751-425	29.53	25	62.50	4913	149	5.31
0100-101750-426	0100-101752-426	0100-101751-426	29.53	26	65.00	5110	155	5.52
0100-101750-427	0100-101752-427	0100-101751-427	29.53	27	67.50	5306	161	5.73
0100-101750-428	0100-101752-428	0100-101751-428	29.53	28	70.00	5503	167	5.95
0100-101750-429	0100-101752-429	0100-101751-429	29.53	29	72.50	5700	173	6.16
0100-101750-430	0100-101752-430	0100-101751-430	29.53	30	75.00	5896	179	6.37
0100-101750-431	0100-101752-431	0100-101751-431	29.53	31	77.50	6093	185	6.58
0100-101750-432	0100-101752-432	0100-101751-432	29.53	32	80.00	6289	191	6.80
0100-101750-433	0100-101752-433	0100-101751-433	29.53	33	82.50	6486	197	7.01
0100-101750-434	0100-101752-434	0100-101751-434	29.53	34	85.00	6682	203	7.22
0100-101750-435	0100-101752-435	0100-101751-435	29.53	35	87.50	6879	209	7.43
0100-101750-436	0100-101752-436	0100-101751-436	29.53	36	90.00	7075	215	7.65
0100-100852-401	0100-100952-401	0100-101652-401	29.75	1	2.50	198	6	0.21
0100-100852-402	0100-100952-402	0100-101652-402	29.75	2	5.00	396	12	0.43
0100-100852-403	0100-100952-403	0100-101652-403	29.75	3	7.50	594	18	0.64
0100-100852-404	0100-100952-404	0100-101652-404	29.75	4	10.00	792	24	0.86
0100-100852-405	0100-100952-405	0100-101652-405	29.75	5	12.50	990	30	1.07
0100-100852-406	0100-100952-406	0100-101652-406	29.75	6	15.00	1188	36	1.28
0100-100852-407	0100-100952-407	0100-101652-407	29.75	7	17.50	1386	42	1.50
0100-100852-408	0100-100952-408	0100-101652-408	29.75	8	20.00	1584	48	1.71
0100-100852-409	0100-100952-409	0100-101652-409	29.75	9	22.50	1782	54	1.93
0100-100852-410	0100-100952-410	0100-101652-410	29.75	10	25.00	1980	60	2.14
0100-100852-411	0100-100952-411	0100-101652-411	29.75	11	27.50	2178	66	2.35
0100-100852-412	0100-100952-412	0100-101652-412	29.75	12	30.00	2376	72	2.57
0100-100852-413	0100-100952-413	0100-101652-413	29.75	13	32.50	2574	78	2.78
0100-100852-414	0100-100952-414	0100-101652-414	29.75	14	35.00	2772	84	3.00
0100-100852-415	0100-100952-415	0100-101652-415	29.75	15	37.50	2970	90	3.21

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100852-416	0100-100952-416	0100-101652-416	29.75	16	40.00	3168	96	3.42
0100-100852-417	0100-100952-417	0100-101652-417	29.75	17	42.50	3366	102	3.64
0100-100852-418	0100-100952-418	0100-101652-418	29.75	18	45.00	3564	108	3.85
0100-100852-419	0100-100952-419	0100-101652-419	29.75	19	47.50	3762	114	4.07
0100-100852-420	0100-100952-420	0100-101652-420	29.75	20	50.00	3960	120	4.28
0100-100852-421	0100-100952-421	0100-101652-421	29.75	21	52.50	4158	126	4.49
0100-100852-422	0100-100952-422	0100-101652-422	29.75	22	55.00	4356	132	4.71
0100-100852-423	0100-100952-423	0100-101652-423	29.75	23	57.50	4554	138	4.92
0100-100852-424	0100-100952-424	0100-101652-424	29.75	24	60.00	4752	144	5.14
0100-100852-425	0100-100952-425	0100-101652-425	29.75	25	62.50	4950	150	5.35
0100-100852-901	0100-100952-901	0100-101652-901	32.25	1	2.50	226	7	0.24
0100-100852-902	0100-100952-902	0100-101652-902	32.25	2	5.00	452	13	0.49
0100-100852-903	0100-100952-903	0100-101652-903	32.25	3	7.50	677	20	0.73
0100-100852-904	0100-100952-904	0100-101652-904	32.25	4	10.00	903	26	0.98
0100-100852-905	0100-100952-905	0100-101652-905	32.25	5	12.50	1129	33	1.22
0100-100852-906	0100-100952-906	0100-101652-906	32.25	6	15.00	1355	39	1.46
0100-100852-907	0100-100952-907	0100-101652-907	32.25	7	17.50	1580	46	1.71
0100-100852-908	0100-100952-908	0100-101652-908	32.25	8	20.00	1806	52	1.95
0100-100852-909	0100-100952-909	0100-101652-909	32.25	9	22.50	2032	59	2.20
0100-100852-910	0100-100952-910	0100-101652-910	32.25	10	25.00	2258	65	2.44
0100-100852-911	0100-100952-911	0100-101652-911	32.25	11	27.50	2483	72	2.68
0100-100852-912	0100-100952-912	0100-101652-912	32.25	12	30.00	2709	78	2.93
0100-100852-913	0100-100952-913	0100-101652-913	32.25	13	32.50	2935	85	3.17
0100-100852-914	0100-100952-914	0100-101652-914	32.25	14	35.00	3161	91	3.42
0100-100852-915	0100-100952-915	0100-101652-915	32.25	15	37.50	3386	98	3.66
0100-100852-916	0100-100952-916	0100-101652-916	32.25	16	40.00	3612	104	3.90
0100-100852-917	0100-100952-917	0100-101652-917	32.25	17	42.50	3838	111	4.15
0100-100852-918	0100-100952-918	0100-101652-918	32.25	18	45.00	4064	117	4.39
0100-100852-919	0100-100952-919	0100-101652-919	32.25	19	47.50	4289	124	4.64
0100-100852-920	0100-100952-920	0100-101652-920	32.25	20	50.00	4515	130	4.88
0100-100852-921	0100-100952-921	0100-101652-921	32.25	21	52.50	4741	137	5.12
0100-100852-922	0100-100952-922	0100-101652-922	32.25	22	55.00	4967	143	5.37
0100-100852-923	0100-100952-923	0100-101652-923	32.25	23	57.50	5192	150	5.61
0100-100852-924	0100-100952-924	0100-101652-924	32.25	24	60.00	5418	156	5.86
0100-100852-925	0100-100952-925	0100-101652-925	32.25	25	62.50	5644	163	6.10
0100-101750-501	0100-101752-501	0100-101751-501	35.43	1	2.50	248	7	0.27
0100-101750-502	0100-101752-502	0100-101751-502	35.43	2	5.00	496	14	0.54

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101750-503	0100-101752-503	0100-101751-503	35.43	3	7.50	744	21	0.80
0100-101750-504	0100-101752-504	0100-101751-504	35.43	4	10.00	992	29	1.07
0100-101750-505	0100-101752-505	0100-101751-505	35.43	5	12.50	1240	36	1.34
0100-101750-506	0100-101752-506	0100-101751-506	35.43	6	15.00	1488	43	1.61
0100-101750-507	0100-101752-507	0100-101751-507	35.43	7	17.50	1736	50	1.88
0100-101750-508	0100-101752-508	0100-101751-508	35.43	8	20.00	1984	57	2.14
0100-101750-509	0100-101752-509	0100-101751-509	35.43	9	22.50	2232	64	2.41
0100-101750-510	0100-101752-510	0100-101751-510	35.43	10	25.00	2480	72	2.68
0100-101750-511	0100-101752-511	0100-101751-511	35.43	11	27.50	2728	79	2.95
0100-101750-512	0100-101752-512	0100-101751-512	35.43	12	30.00	2976	86	3.22
0100-101750-513	0100-101752-513	0100-101751-513	35.43	13	32.50	3224	93	3.49
0100-101750-514	0100-101752-514	0100-101751-514	35.43	14	35.00	3472	100	3.75
0100-101750-515	0100-101752-515	0100-101751-515	35.43	15	37.50	3720	107	4.02
0100-101750-516	0100-101752-516	0100-101751-516	35.43	16	40.00	3968	114	4.29
0100-101750-517	0100-101752-517	0100-101751-517	35.43	17	42.50	4216	122	4.56
0100-101750-518	0100-101752-518	0100-101751-518	35.43	18	45.00	4464	129	4.83
0100-101750-519	0100-101752-519	0100-101751-519	35.43	19	47.50	4712	136	5.09
0100-101750-520	0100-101752-520	0100-101751-520	35.43	20	50.00	4960	143	5.36
0100-101750-521	0100-101752-521	0100-101751-521	35.43	21	52.50	5208	150	5.63
0100-101750-522	0100-101752-522	0100-101751-522	35.43	22	55.00	5456	157	5.90
0100-101750-523	0100-101752-523	0100-101751-523	35.43	23	57.50	5704	165	6.17
0100-101750-524	0100-101752-524	0100-101751-524	35.43	24	60.00	5952	172	6.43
0100-101750-525	0100-101752-525	0100-101751-525	35.43	25	62.50	6200	179	6.70
0100-101750-526	0100-101752-526	0100-101751-526	35.43	26	65.00	6448	186	6.97
0100-101750-527	0100-101752-527	0100-101751-527	35.43	27	67.50	6696	193	7.24
0100-101750-528	0100-101752-528	0100-101751-528	35.43	28	70.00	6944	200	7.51
0100-101750-529	0100-101752-529	0100-101751-529	35.43	29	72.50	7192	207	7.77
0100-101750-530	0100-101752-530	0100-101751-530	35.43	30	75.00	7440	215	8.04
0100-101750-531	0100-101752-531	0100-101751-531	35.43	31	77.50	7688	222	8.31
0100-101750-532	0100-101752-532	0100-101751-532	35.43	32	80.00	7936	229	8.58
0100-101750-533	0100-101752-533	0100-101751-533	35.43	33	82.50	8184	236	8.85
0100-101750-534	0100-101752-534	0100-101751-534	35.43	34	85.00	8432	243	9.12
0100-101750-535	0100-101752-535	0100-101751-535	35.43	35	87.50	8680	250	9.38
0100-101750-536	0100-101752-536	0100-101751-536	35.43	36	90.00	8928	258	9.65
0100-100852-501	0100-100952-501	0100-101652-501	36.00	1	2.50	259	7	0.28
0100-100852-502	0100-100952-502	0100-101652-502	36.00	2	5.00	518	15	0.56
0100-100852-503	0100-100952-503	0100-101652-503	36.00	3	7.50	777	22	0.84

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100852-504	0100-100952-504	0100-101652-504	36.00	4	10.00	1036	29	1.12
0100-100852-505	0100-100952-505	0100-101652-505	36.00	5	12.50	1295	36	1.40
0100-100852-506	0100-100952-506	0100-101652-506	36.00	6	15.00	1554	44	1.68
0100-100852-507	0100-100952-507	0100-101652-507	36.00	7	17.50	1813	51	1.96
0100-100852-508	0100-100952-508	0100-101652-508	36.00	8	20.00	2072	58	2.24
0100-100852-509	0100-100952-509	0100-101652-509	36.00	9	22.50	2331	65	2.52
0100-100852-510	0100-100952-510	0100-101652-510	36.00	10	25.00	2590	73	2.80
0100-100852-511	0100-100952-511	0100-101652-511	36.00	11	27.50	2849	80	3.08
0100-100852-512	0100-100952-512	0100-101652-512	36.00	12	30.00	3108	87	3.36
0100-100852-513	0100-100952-513	0100-101652-513	36.00	13	32.50	3367	95	3.64
0100-100852-514	0100-100952-514	0100-101652-514	36.00	14	35.00	3626	102	3.92
0100-100852-515	0100-100952-515	0100-101652-515	36.00	15	37.50	3885	109	4.20
0100-100852-516	0100-100952-516	0100-101652-516	36.00	16	40.00	4144	116	4.48
0100-100852-517	0100-100952-517	0100-101652-517	36.00	17	42.50	4403	124	4.76
0100-100852-518	0100-100952-518	0100-101652-518	36.00	18	45.00	4662	131	5.04
0100-100852-519	0100-100952-519	0100-101652-519	36.00	19	47.50	4921	138	5.32
0100-100852-520	0100-100952-520	0100-101652-520	36.00	20	50.00	5180	145	5.60
0100-100852-521	0100-100952-521	0100-101652-521	36.00	21	52.50	5439	153	5.88
0100-100852-522	0100-100952-522	0100-101652-522	36.00	22	55.00	5698	160	6.16
0100-100852-523	0100-100952-523	0100-101652-523	36.00	23	57.50	5957	167	6.44
0100-100852-524	0100-100952-524	0100-101652-524	36.00	24	60.00	6216	174	6.72
0100-100852-525	0100-100952-525	0100-101652-525	36.00	25	62.50	6475	182	7.00
0100-100852-601	0100-100952-601	0100-101652-601	42.00	1	2.50	302	8	0.33
0100-100852-602	0100-100952-602	0100-101652-602	42.00	2	5.00	604	17	0.65
0100-100852-603	0100-100952-603	0100-101652-603	42.00	3	7.50	907	25	0.98
0100-100852-604	0100-100952-604	0100-101652-604	42.00	4	10.00	1209	34	1.31
0100-100852-605	0100-100952-605	0100-101652-605	42.00	5	12.50	1511	42	1.63
0100-100852-606	0100-100952-606	0100-101652-606	42.00	6	15.00	1813	51	1.96
0100-100852-607	0100-100952-607	0100-101652-607	42.00	7	17.50	2115	59	2.29
0100-100852-608	0100-100952-608	0100-101652-608	42.00	8	20.00	2417	68	2.61
0100-100852-609	0100-100952-609	0100-101652-609	42.00	9	22.50	2720	76	2.94
0100-100852-610	0100-100952-610	0100-101652-610	42.00	10	25.00	3022	85	3.27
0100-100852-611	0100-100952-611	0100-101652-611	42.00	11	27.50	3324	93	3.59
0100-100852-612	0100-100952-612	0100-101652-612	42.00	12	30.00	3626	102	3.92
0100-100852-613	0100-100952-613	0100-101652-613	42.00	13	32.50	3928	110	4.25
0100-100852-614	0100-100952-614	0100-101652-614	42.00	14	35.00	4230	119	4.57
0100-100852-615	0100-100952-615	0100-101652-615	42.00	15	37.50	4533	127	4.90

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100852-616	0100-100952-616	0100-101652-616	42.00	16	40.00	4835	136	5.23
0100-100852-617	0100-100952-617	0100-101652-617	42.00	17	42.50	5137	144	5.55
0100-100852-618	0100-100952-618	0100-101652-618	42.00	18	45.00	5439	153	5.88
0100-100852-619	0100-100952-619	0100-101652-619	42.00	19	47.50	5741	161	6.21
0100-100852-620	0100-100952-620	0100-101652-620	42.00	20	50.00	6043	170	6.53
0100-100852-621	0100-100952-621	0100-101652-621	42.00	21	52.50	6346	178	6.86
0100-100852-622	0100-100952-622	0100-101652-622	42.00	22	55.00	6648	187	7.19
0100-100852-623	0100-100952-623	0100-101652-623	42.00	23	57.50	6950	195	7.51
0100-100852-624	0100-100952-624	0100-101652-624	42.00	24	60.00	7252	204	7.84
0100-100852-625	0100-100952-625	0100-101652-625	42.00	25	62.50	7554	212	8.17
0100-101750-601	0100-101752-601	0100-101751-601	43.31	1	2.50	312	9	0.34
0100-101750-602	0100-101752-602	0100-101751-602	43.31	2	5.00	623	17	0.67
0100-101750-603	0100-101752-603	0100-101751-603	43.31	3	7.50	935	26	1.01
0100-101750-604	0100-101752-604	0100-101751-604	43.31	4	10.00	1246	35	1.35
0100-101750-605	0100-101752-605	0100-101751-605	43.31	5	12.50	1558	44	1.68
0100-101750-606	0100-101752-606	0100-101751-606	43.31	6	15.00	1870	52	2.02
0100-101750-607	0100-101752-607	0100-101751-607	43.31	7	17.50	2181	61	2.36
0100-101750-608	0100-101752-608	0100-101751-608	43.31	8	20.00	2493	70	2.70
0100-101750-609	0100-101752-609	0100-101751-609	43.31	9	22.50	2804	79	3.03
0100-101750-610	0100-101752-610	0100-101751-610	43.31	10	25.00	3116	87	3.37
0100-101750-611	0100-101752-611	0100-101751-611	43.31	11	27.50	3428	96	3.71
0100-101750-612	0100-101752-612	0100-101751-612	43.31	12	30.00	3739	105	4.04
0100-101750-613	0100-101752-613	0100-101751-613	43.31	13	32.50	4051	114	4.38
0100-101750-614	0100-101752-614	0100-101751-614	43.31	14	35.00	4362	122	4.72
0100-101750-615	0100-101752-615	0100-101751-615	43.31	15	37.50	4674	131	5.05
0100-101750-616	0100-101752-616	0100-101751-616	43.31	16	40.00	4985	140	5.39
0100-101750-617	0100-101752-617	0100-101751-617	43.31	17	42.50	5297	149	5.73
0100-101750-618	0100-101752-618	0100-101751-618	43.31	18	45.00	5609	157	6.06
0100-101750-619	0100-101752-619	0100-101751-619	43.31	19	47.50	5920	166	6.40
0100-101750-620	0100-101752-620	0100-101751-620	43.31	20	50.00	6232	175	6.74
0100-101750-621	0100-101752-621	0100-101751-621	43.31	21	52.50	6543	184	7.07
0100-101750-622	0100-101752-622	0100-101751-622	43.31	22	55.00	6855	192	7.41
0100-101750-623	0100-101752-623	0100-101751-623	43.31	23	57.50	7167	201	7.75
0100-101750-624	0100-101752-624	0100-101751-624	43.31	24	60.00	7478	210	8.09
0100-101750-625	0100-101752-625	0100-101751-625	43.31	25	62.50	7790	219	8.42
0100-101750-626	0100-101752-626	0100-101751-626	43.31	26	65.00	8101	227	8.76
0100-101750-627	0100-101752-627	0100-101751-627	43.31	27	67.50	8413	236	9.10

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101750-628	0100-101752-628	0100-101751-628	43.31	28	70.00	8725	245	9.43
0100-101750-629	0100-101752-629	0100-101751-629	43.31	29	72.50	9036	254	9.77
0100-101750-630	0100-101752-630	0100-101751-630	43.31	30	75.00	9348	262	10.11
0100-101750-631	0100-101752-631	0100-101751-631	43.31	31	77.50	9659	271	10.44
0100-101750-632	0100-101752-632	0100-101751-632	43.31	32	80.00	9971	280	10.78
0100-101750-633	0100-101752-633	0100-101751-633	43.31	33	82.50	10283	289	11.12
0100-101750-634	0100-101752-634	0100-101751-634	43.31	34	85.00	10594	297	11.45
0100-101750-635	0100-101752-635	0100-101751-635	43.31	35	87.50	10906	306	11.79
0100-101750-636	0100-101752-636	0100-101751-636	43.31	36	90.00	11217	315	12.13
0100-100852-701	0100-100952-701	0100-101652-701	48.00	1	2.50	345	10	0.37
0100-100852-702	0100-100952-702	0100-101652-702	48.00	2	5.00	691	19	0.75
0100-100852-703	0100-100952-703	0100-101652-703	48.00	3	7.50	1036	29	1.12
0100-100852-704	0100-100952-704	0100-101652-704	48.00	4	10.00	1381	39	1.49
0100-100852-705	0100-100952-705	0100-101652-705	48.00	5	12.50	1727	48	1.87
0100-100852-706	0100-100952-706	0100-101652-706	48.00	6	15.00	2072	58	2.24
0100-100852-707	0100-100952-707	0100-101652-707	48.00	7	17.50	2417	68	2.61
0100-100852-708	0100-100952-708	0100-101652-708	48.00	8	20.00	2763	78	2.99
0100-100852-709	0100-100952-709	0100-101652-709	48.00	9	22.50	3108	87	3.36
0100-100852-710	0100-100952-710	0100-101652-710	48.00	10	25.00	3453	97	3.73
0100-100852-711	0100-100952-711	0100-101652-711	48.00	11	27.50	3799	107	4.11
0100-100852-712	0100-100952-712	0100-101652-712	48.00	12	30.00	4144	116	4.48
0100-100852-713	0100-100952-713	0100-101652-713	48.00	13	32.50	4489	126	4.85
0100-100852-714	0100-100952-714	0100-101652-714	48.00	14	35.00	4835	136	5.23
0100-100852-715	0100-100952-715	0100-101652-715	48.00	15	37.50	5180	145	5.60
0100-100852-716	0100-100952-716	0100-101652-716	48.00	16	40.00	5525	155	5.97
0100-100852-717	0100-100952-717	0100-101652-717	48.00	17	42.50	5871	165	6.35
0100-100852-718	0100-100952-718	0100-101652-718	48.00	18	45.00	6216	174	6.72
0100-100852-719	0100-100952-719	0100-101652-719	48.00	19	47.50	6561	184	7.09
0100-100852-720	0100-100952-720	0100-101652-720	48.00	20	50.00	6907	194	7.47
0100-100852-721	0100-100952-721	0100-101652-721	48.00	21	52.50	7252	204	7.84
0100-100852-722	0100-100952-722	0100-101652-722	48.00	22	55.00	7597	213	8.21
0100-100852-723	0100-100952-723	0100-101652-723	48.00	23	57.50	7943	223	8.59
0100-100852-724	0100-100952-724	0100-101652-724	48.00	24	60.00	8288	233	8.96
0100-100852-725	0100-100952-725	0100-101652-725	48.00	25	62.50	8633	242	9.34
0100-100852-001	0100-100952-001	0100-101652-001	54.00	1	2.50	388	11	0.42
0100-100852-002	0100-100952-002	0100-101652-002	54.00	2	5.00	777	22	0.84
0100-100852-003	0100-100952-003	0100-101652-003	54.00	3	7.50	1165	33	1.26

TABLE 1: Ordering Information for Corrugated Radiators, 3.5" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100852-004	0100-100952-004	0100-101652-004	54.00	4	10.00	1554	44	1.68
0100-100852-005	0100-100952-005	0100-101652-005	54.00	5	12.50	1942	55	2.10
0100-100852-006	0100-100952-006	0100-101652-006	54.00	6	15.00	2331	65	2.52
0100-100852-007	0100-100952-007	0100-101652-007	54.00	7	17.50	2719	76	2.94
0100-100852-008	0100-100952-008	0100-101652-008	54.00	8	20.00	3108	87	3.36
0100-100852-009	0100-100952-009	0100-101652-009	54.00	9	22.50	3496	98	3.78
0100-100852-010	0100-100952-010	0100-101652-010	54.00	10	25.00	3885	109	4.20
0100-100852-011	0100-100952-011	0100-101652-011	54.00	11	27.50	4273	120	4.62
0100-100852-012	0100-100952-012	0100-101652-012	54.00	12	30.00	4662	131	5.04
0100-100852-013	0100-100952-013	0100-101652-013	54.00	13	32.50	5050	142	5.46
0100-100852-014	0100-100952-014	0100-101652-014	54.00	14	35.00	5439	153	5.88
0100-100852-015	0100-100952-015	0100-101652-015	54.00	15	37.50	5827	164	6.30
0100-100852-016	0100-100952-016	0100-101652-016	54.00	16	40.00	6216	174	6.72
0100-100852-017	0100-100952-017	0100-101652-017	54.00	17	42.50	6604	185	7.14
0100-100852-018	0100-100952-018	0100-101652-018	54.00	18	45.00	6993	196	7.56
0100-100852-019	0100-100952-019	0100-101652-019	54.00	19	47.50	7381	207	7.98
0100-100852-020	0100-100952-020	0100-101652-020	54.00	20	50.00	7770	218	8.40
0100-100852-021	0100-100952-021	0100-101652-021	54.00	21	52.50	8158	229	8.82
0100-100852-022	0100-100952-022	0100-101652-022	54.00	22	55.00	8547	240	9.24
0100-100852-023	0100-100952-023	0100-101652-023	54.00	23	57.50	8935	251	9.66
0100-100852-024	0100-100952-024	0100-101652-024	54.00	24	60.00	9324	262	10.08
0100-100852-025	0100-100952-025	0100-101652-025	54.00	25	62.50	9712	273	10.50

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101753-101	0100-101755-101	0100-101754-101	15.75	1	2.50	144	5	0.21
0100-101753-102	0100-101755-102	0100-101754-102	15.75	2	5.00	288	10	0.42
0100-101753-103	0100-101755-103	0100-101754-103	15.75	3	7.50	432	15	0.62
0100-101753-104	0100-101755-104	0100-101754-104	15.75	4	10.00	576	20	0.83
0100-101753-105	0100-101755-105	0100-101754-105	15.75	5	12.50	720	25	1.04
0100-101753-106	0100-101755-106	0100-101754-106	15.75	6	15.00	865	30	1.25
0100-101753-107	0100-101755-107	0100-101754-107	15.75	7	17.50	1009	35	1.46
0100-101753-108	0100-101755-108	0100-101754-108	15.75	8	20.00	1153	40	1.66
0100-101753-109	0100-101755-109	0100-101754-109	15.75	9	22.50	1297	45	1.87
0100-101753-110	0100-101755-110	0100-101754-110	15.75	10	25.00	1441	50	2.08
0100-101753-111	0100-101755-111	0100-101754-111	15.75	11	27.50	1585	55	2.29
0100-101753-112	0100-101755-112	0100-101754-112	15.75	12	30.00	1729	60	2.49
0100-101753-113	0100-101755-113	0100-101754-113	15.75	13	32.50	1873	65	2.70
0100-101753-114	0100-101755-114	0100-101754-114	15.75	14	35.00	2017	70	2.91
0100-101753-115	0100-101755-115	0100-101754-115	15.75	15	37.50	2161	75	3.12
0100-101753-116	0100-101755-116	0100-101754-116	15.75	16	40.00	2305	80	3.33
0100-101753-117	0100-101755-117	0100-101754-117	15.75	17	42.50	2449	85	3.53
0100-101753-118	0100-101755-118	0100-101754-118	15.75	18	45.00	2594	89	3.74
0100-101753-119	0100-101755-119	0100-101754-119	15.75	19	47.50	2738	94	3.95
0100-101753-120	0100-101755-120	0100-101754-120	15.75	20	50.00	2882	99	4.16
0100-101753-121	0100-101755-121	0100-101754-121	15.75	21	52.50	3026	104	4.37
0100-101753-122	0100-101755-122	0100-101754-122	15.75	22	55.00	3170	109	4.57
0100-101753-123	0100-101755-123	0100-101754-123	15.75	23	57.50	3314	114	4.78
0100-101753-124	0100-101755-124	0100-101754-124	15.75	24	60.00	3458	119	4.99
0100-101753-125	0100-101755-125	0100-101754-125	15.75	25	62.50	3602	124	5.20
0100-101753-126	0100-101755-126	0100-101754-126	15.75	26	65.00	3746	129	5.41
0100-101753-127	0100-101755-127	0100-101754-127	15.75	27	67.50	3890	134	5.61
0100-101753-128	0100-101755-128	0100-101754-128	15.75	28	70.00	4034	139	5.82
0100-101753-129	0100-101755-129	0100-101754-129	15.75	29	72.50	4178	144	6.03
0100-101753-130	0100-101755-130	0100-101754-130	15.75	30	75.00	4323	149	6.24
0100-101753-131	0100-101755-131	0100-101754-131	15.75	31	77.50	4467	154	6.44
0100-101753-132	0100-101755-132	0100-101754-132	15.75	32	80.00	4611	159	6.65
0100-101753-133	0100-101755-133	0100-101754-133	15.75	33	82.50	4755	164	6.86
0100-101753-134	0100-101755-134	0100-101754-134	15.75	34	85.00	4899	169	7.07
0100-101753-135	0100-101755-135	0100-101754-135	15.75	35	87.50	5043	174	7.28
0100-101753-136	0100-101755-136	0100-101754-136	15.75	36	90.00	5187	179	7.48
0100-100853-101	0100-100953-101	0100-101653-101	17.00	1	2.50	156	5	0.22

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100853-102	0100-100953-102	0100-101653-102	17.00	2	5.00	311	11	0.45
0100-100853-103	0100-100953-103	0100-101653-103	17.00	3	7.50	467	16	0.67
0100-100853-104	0100-100953-104	0100-101653-104	17.00	4	10.00	622	21	0.90
0100-100853-105	0100-100953-105	0100-101653-105	17.00	5	12.50	778	27	1.12
0100-100853-106	0100-100953-106	0100-101653-106	17.00	6	15.00	933	32	1.35
0100-100853-107	0100-100953-107	0100-101653-107	17.00	7	17.50	1089	38	1.57
0100-100853-108	0100-100953-108	0100-101653-108	17.00	8	20.00	1244	43	1.80
0100-100853-109	0100-100953-109	0100-101653-109	17.00	9	22.50	1400	48	2.02
0100-100853-110	0100-100953-110	0100-101653-110	17.00	10	25.00	1555	54	2.25
0100-100853-111	0100-100953-111	0100-101653-111	17.00	11	27.50	1711	59	2.47
0100-100853-112	0100-100953-112	0100-101653-112	17.00	12	30.00	1866	64	2.69
0100-100853-113	0100-100953-113	0100-101653-113	17.00	13	32.50	2022	70	2.92
0100-100853-114	0100-100953-114	0100-101653-114	17.00	14	35.00	2177	75	3.14
0100-100853-115	0100-100953-115	0100-101653-115	17.00	15	37.50	2333	81	3.37
0100-100853-116	0100-100953-116	0100-101653-116	17.00	16	40.00	2488	86	3.59
0100-100853-117	0100-100953-117	0100-101653-117	17.00	17	42.50	2644	91	3.82
0100-100853-118	0100-100953-118	0100-101653-118	17.00	18	45.00	2799	97	4.04
0100-100853-119	0100-100953-119	0100-101653-119	17.00	19	47.50	2955	102	4.27
0100-100853-120	0100-100953-120	0100-101653-120	17.00	20	50.00	3110	107	4.49
0100-100853-121	0100-100953-121	0100-101653-121	17.00	21	52.50	3266	113	4.71
0100-100853-122	0100-100953-122	0100-101653-122	17.00	22	55.00	3421	118	4.94
0100-100853-123	0100-100953-123	0100-101653-123	17.00	23	57.50	3577	123	5.16
0100-100853-124	0100-100953-124	0100-101653-124	17.00	24	60.00	3732	129	5.39
0100-100853-201	0100-100953-201	0100-101653-201	20.00	1	2.50	185	6	0.25
0100-100853-202	0100-100953-202	0100-101653-202	20.00	2	5.00	369	13	0.49
0100-100853-203	0100-100953-203	0100-101653-203	20.00	3	7.50	554	19	0.74
0100-100853-204	0100-100953-204	0100-101653-204	20.00	4	10.00	739	25	0.99
0100-100853-205	0100-100953-205	0100-101653-205	20.00	5	12.50	923	32	1.24
0100-100853-206	0100-100953-206	0100-101653-206	20.00	6	15.00	1108	38	1.48
0100-100853-207	0100-100953-207	0100-101653-207	20.00	7	17.50	1292	44	1.73
0100-100853-208	0100-100953-208	0100-101653-208	20.00	8	20.00	1477	51	1.98
0100-100853-209	0100-100953-209	0100-101653-209	20.00	9	22.50	1662	57	2.22
0100-100853-210	0100-100953-210	0100-101653-210	20.00	10	25.00	1846	63	2.47
0100-100853-211	0100-100953-211	0100-101653-211	20.00	11	27.50	2031	69	2.72
0100-100853-212	0100-100953-212	0100-101653-212	20.00	12	30.00	2216	76	2.96
0100-100853-213	0100-100953-213	0100-101653-213	20.00	13	32.50	2400	82	3.21
0100-100853-214	0100-100953-214	0100-101653-214	20.00	14	35.00	2585	88	3.46

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100853-215	0100-100953-215	0100-101653-215	20.00	15	37.50	2769	95	3.71
0100-100853-216	0100-100953-216	0100-101653-216	20.00	16	40.00	2954	101	3.95
0100-100853-217	0100-100953-217	0100-101653-217	20.00	17	42.50	3139	107	4.20
0100-100853-218	0100-100953-218	0100-101653-218	20.00	18	45.00	3323	114	4.45
0100-100853-219	0100-100953-219	0100-101653-219	20.00	19	47.50	3508	120	4.69
0100-100853-220	0100-100953-220	0100-101653-220	20.00	20	50.00	3693	126	4.94
0100-100853-221	0100-100953-221	0100-101653-221	20.00	21	52.50	3877	133	5.19
0100-100853-222	0100-100953-222	0100-101653-222	20.00	22	55.00	4062	139	5.43
0100-100853-223	0100-100953-223	0100-101653-223	20.00	23	57.50	4246	145	5.68
0100-100853-224	0100-100953-224	0100-101653-224	20.00	24	60.00	4431	152	5.93
0100-101753-301	0100-101755-301	0100-101754-301	23.62	1	2.50	218	7	0.29
0100-101753-302	0100-101755-302	0100-101754-302	23.62	2	5.00	436	15	0.58
0100-101753-303	0100-101755-303	0100-101754-303	23.62	3	7.50	654	22	0.88
0100-101753-304	0100-101755-304	0100-101754-304	23.62	4	10.00	872	30	1.17
0100-101753-305	0100-101755-305	0100-101754-305	23.62	5	12.50	1090	37	1.46
0100-101753-306	0100-101755-306	0100-101754-306	23.62	6	15.00	1308	45	1.75
0100-101753-307	0100-101755-307	0100-101754-307	23.62	7	17.50	1526	52	2.04
0100-101753-308	0100-101755-308	0100-101754-308	23.62	8	20.00	1744	60	2.33
0100-101753-309	0100-101755-309	0100-101754-309	23.62	9	22.50	1962	67	2.63
0100-101753-310	0100-101755-310	0100-101754-310	23.62	10	25.00	2180	75	2.92
0100-101753-311	0100-101755-311	0100-101754-311	23.62	11	27.50	2399	82	3.21
0100-101753-312	0100-101755-312	0100-101754-312	23.62	12	30.00	2617	89	3.50
0100-101753-313	0100-101755-313	0100-101754-313	23.62	13	32.50	2835	97	3.79
0100-101753-314	0100-101755-314	0100-101754-314	23.62	14	35.00	3053	104	4.08
0100-101753-315	0100-101755-315	0100-101754-315	23.62	15	37.50	3271	112	4.38
0100-101753-316	0100-101755-316	0100-101754-316	23.62	16	40.00	3489	119	4.67
0100-101753-317	0100-101755-317	0100-101754-317	23.62	17	42.50	3707	127	4.96
0100-101753-318	0100-101755-318	0100-101754-318	23.62	18	45.00	3925	134	5.25
0100-101753-319	0100-101755-319	0100-101754-319	23.62	19	47.50	4143	142	5.54
0100-101753-320	0100-101755-320	0100-101754-320	23.62	20	50.00	4361	149	5.83
0100-101753-321	0100-101755-321	0100-101754-321	23.62	21	52.50	4579	157	6.13
0100-101753-322	0100-101755-322	0100-101754-322	23.62	22	55.00	4797	164	6.42
0100-101753-323	0100-101755-323	0100-101754-323	23.62	23	57.50	5015	172	6.71
0100-101753-324	0100-101755-324	0100-101754-324	23.62	24	60.00	5233	179	7.00
0100-101753-325	0100-101755-325	0100-101754-325	23.62	25	62.50	5451	186	7.29
0100-101753-326	0100-101755-326	0100-101754-326	23.62	26	65.00	5669	194	7.58

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101753-327	0100-101755-327	0100-101754-327	23.62	27	67.50	5887	201	7.88
0100-101753-328	0100-101755-328	0100-101754-328	23.62	28	70.00	6105	209	8.17
0100-101753-329	0100-101755-329	0100-101754-329	23.62	29	72.50	6323	216	8.46
0100-101753-330	0100-101755-330	0100-101754-330	23.62	30	75.00	6541	224	8.75
0100-101753-331	0100-101755-331	0100-101754-331	23.62	31	77.50	6759	231	9.04
0100-101753-332	0100-101755-332	0100-101754-332	23.62	32	80.00	6978	239	9.33
0100-101753-333	0100-101755-333	0100-101754-333	23.62	33	82.50	7196	246	9.63
0100-101753-334	0100-101755-334	0100-101754-334	23.62	34	85.00	7414	254	9.92
0100-101753-335	0100-101755-335	0100-101754-335	23.62	35	87.50	7632	261	10.21
0100-101753-336	0100-101755-336	0100-101754-336	23.62	36	90.00	7850	268	10.50
0100-100853-301	0100-100953-301	0100-101653-301	24.25	1	2.50	228	8	0.32
0100-100853-302	0100-100953-302	0100-101653-302	24.25	2	5.00	457	15	0.64
0100-100853-303	0100-100953-303	0100-101653-303	24.25	3	7.50	685	23	0.96
0100-100853-304	0100-100953-304	0100-101653-304	24.25	4	10.00	914	31	1.28
0100-100853-305	0100-100953-305	0100-101653-305	24.25	5	12.50	1142	38	1.60
0100-100853-306	0100-100953-306	0100-101653-306	24.25	6	15.00	1371	46	1.91
0100-100853-307	0100-100953-307	0100-101653-307	24.25	7	17.50	1599	54	2.23
0100-100853-308	0100-100953-308	0100-101653-308	24.25	8	20.00	1827	61	2.55
0100-100853-309	0100-100953-309	0100-101653-309	24.25	9	22.50	2056	69	2.87
0100-100853-310	0100-100953-310	0100-101653-310	24.25	10	25.00	2284	77	3.19
0100-100853-311	0100-100953-311	0100-101653-311	24.25	11	27.50	2513	84	3.51
0100-100853-312	0100-100953-312	0100-101653-312	24.25	12	30.00	2741	92	3.83
0100-100853-313	0100-100953-313	0100-101653-313	24.25	13	32.50	2970	100	4.15
0100-100853-314	0100-100953-314	0100-101653-314	24.25	14	35.00	3198	107	4.47
0100-100853-315	0100-100953-315	0100-101653-315	24.25	15	37.50	3426	115	4.79
0100-100853-316	0100-100953-316	0100-101653-316	24.25	16	40.00	3655	122	5.10
0100-100853-317	0100-100953-317	0100-101653-317	24.25	17	42.50	3883	130	5.42
0100-100853-318	0100-100953-318	0100-101653-318	24.25	18	45.00	4112	138	5.74
0100-100853-319	0100-100953-319	0100-101653-319	24.25	19	47.50	4340	145	6.06
0100-100853-320	0100-100953-320	0100-101653-320	24.25	20	50.00	4569	153	6.38
0100-100853-321	0100-100953-321	0100-101653-321	24.25	21	52.50	4797	161	6.70
0100-100853-322	0100-100953-322	0100-101653-322	24.25	22	55.00	5025	168	7.02
0100-100853-323	0100-100953-323	0100-101653-323	24.25	23	57.50	5254	176	7.34
0100-100853-324	0100-100953-324	0100-101653-324	24.25	24	60.00	5482	184	7.66
0100-100853-801	0100-100953-801	0100-101653-801	26.00	1	2.50	245	8	0.34
0100-100853-802	0100-100953-802	0100-101653-802	26.00	2	5.00	490	16	0.68
0100-100853-803	0100-100953-803	0100-101653-803	26.00	3	7.50	735	25	1.03

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100853-804	0100-100953-804	0100-101653-804	26.00	4	10.00	980	33	1.37
0100-100853-805	0100-100953-805	0100-101653-805	26.00	5	12.50	1225	41	1.71
0100-100853-806	0100-100953-806	0100-101653-806	26.00	6	15.00	1469	49	2.05
0100-100853-807	0100-100953-807	0100-101653-807	26.00	7	17.50	1714	57	2.39
0100-100853-808	0100-100953-808	0100-101653-808	26.00	8	20.00	1959	66	2.74
0100-100853-809	0100-100953-809	0100-101653-809	26.00	9	22.50	2204	74	3.08
0100-100853-810	0100-100953-810	0100-101653-810	26.00	10	25.00	2449	82	3.42
0100-100853-811	0100-100953-811	0100-101653-811	26.00	11	27.50	2694	90	3.76
0100-100853-812	0100-100953-812	0100-101653-812	26.00	12	30.00	2939	98	4.10
0100-100853-813	0100-100953-813	0100-101653-813	26.00	13	32.50	3184	107	4.45
0100-100853-814	0100-100953-814	0100-101653-814	26.00	14	35.00	3429	115	4.79
0100-100853-815	0100-100953-815	0100-101653-815	26.00	15	37.50	3674	123	5.13
0100-100853-816	0100-100953-816	0100-101653-816	26.00	16	40.00	3919	131	5.47
0100-100853-817	0100-100953-817	0100-101653-817	26.00	17	42.50	4164	140	5.81
0100-100853-818	0100-100953-818	0100-101653-818	26.00	18	45.00	4408	148	6.16
0100-100853-819	0100-100953-819	0100-101653-819	26.00	19	47.50	4653	156	6.50
0100-100853-820	0100-100953-820	0100-101653-820	26.00	20	50.00	4898	164	6.84
0100-100853-821	0100-100953-821	0100-101653-821	26.00	21	52.50	5143	172	7.18
0100-100853-822	0100-100953-822	0100-101653-822	26.00	22	55.00	5388	181	7.52
0100-100853-823	0100-100953-823	0100-101653-823	26.00	23	57.50	5633	189	7.87
0100-100853-824	0100-100953-824	0100-101653-824	26.00	24	60.00	5878	197	8.21
0100-100662-801	0100-100663-801	0100-100664-801	27.60	1	2.50	250	6	0.21
0100-100662-802	0100-100663-802	0100-100664-802	27.60	2	5.00	499	11	0.42
0100-100662-803	0100-100663-803	0100-100664-803	27.60	3	7.50	749	17	0.64
0100-100662-804	0100-100663-804	0100-100664-804	27.60	4	10.00	999	22	0.85
0100-100662-805	0100-100663-805	0100-100664-805	27.60	5	12.50	1248	28	1.06
0100-100662-806	0100-100663-806	0100-100664-806	27.60	6	15.00	1498	33	1.27
0100-100662-807	0100-100663-807	0100-100664-807	27.60	7	17.50	1748	39	1.49
0100-100662-808	0100-100663-808	0100-100664-808	27.60	8	20.00	1998	45	1.70
0100-100662-809	0100-100663-809	0100-100664-809	27.60	9	22.50	2247	50	1.91
0100-100662-810	0100-100663-810	0100-100664-810	27.60	10	25.00	2497	56	2.12
0100-100662-811	0100-100663-811	0100-100664-811	27.60	11	27.50	2747	61	2.34
0100-100662-812	0100-100663-812	0100-100664-812	27.60	12	30.00	2996	67	2.55
0100-100662-813	0100-100663-813	0100-100664-813	27.60	13	32.50	3246	72	2.76
0100-100662-814	0100-100663-814	0100-100664-814	27.60	14	35.00	3496	78	2.97
0100-100662-815	0100-100663-815	0100-100664-815	27.60	15	37.50	3745	84	3.19
0100-100662-816	0100-100663-816	0100-100664-816	27.60	16	40.00	3995	89	3.40

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100662-817	0100-100663-817	0100-100664-817	27.60	17	42.50	4245	95	3.61
0100-100662-818	0100-100663-818	0100-100664-818	27.60	18	45.00	4494	100	3.82
0100-100662-819	0100-100663-819	0100-100664-819	27.60	19	47.50	4744	106	4.04
0100-100662-820	0100-100663-820	0100-100664-820	27.60	20	50.00	4994	111	4.25
0100-100662-821	0100-100663-821	0100-100664-821	27.60	21	52.50	5243	117	4.46
0100-100662-822	0100-100663-822	0100-100664-822	27.60	22	55.00	5493	123	4.67
0100-100662-823	0100-100663-823	0100-100664-823	27.60	23	57.50	5743	128	4.89
0100-100662-824	0100-100663-824	0100-100664-824	27.60	24	60.00	5993	134	5.10
0100-100662-825	0100-100663-825	0100-100664-825	27.60	25	62.50	6242	139	5.31
0100-100662-826	0100-100663-826	0100-100664-826	27.60	26	65.00	6492	145	5.52
0100-100662-827	0100-100663-827	0100-100664-827	27.60	27	67.50	6742	150	5.73
0100-100662-828	0100-100663-828	0100-100664-828	27.60	28	70.00	6991	156	5.95
0100-100662-829	0100-100663-829	0100-100664-829	27.60	29	72.50	7241	162	6.16
0100-100662-830	0100-100663-830	0100-100664-830	27.60	30	75.00	7491	167	6.37
0100-100662-831	0100-100663-831	0100-100664-831	27.60	31	77.50	7740	173	6.58
0100-100662-832	0100-100663-832	0100-100664-832	27.60	32	80.00	7990	178	6.80
0100-100662-833	0100-100663-833	0100-100664-833	27.60	33	82.50	8240	184	7.01
0100-100662-834	0100-100663-834	0100-100664-834	27.60	34	85.00	8489	189	7.22
0100-100662-835	0100-100663-835	0100-100664-835	27.60	35	87.50	8739	195	7.43
0100-100662-836	0100-100663-836	0100-100664-836	27.60	36	90.00	8989	201	7.65
0100-101753-401	0100-101755-401	0100-101754-401	29.53	1	2.50	267	9	0.39
0100-101753-402	0100-101755-402	0100-101754-402	29.53	2	5.00	534	19	0.78
0100-101753-403	0100-101755-403	0100-101754-403	29.53	3	7.50	801	28	1.17
0100-101753-404	0100-101755-404	0100-101754-404	29.53	4	10.00	1069	37	1.56
0100-101753-405	0100-101755-405	0100-101754-405	29.53	5	12.50	1336	47	1.96
0100-101753-406	0100-101755-406	0100-101754-406	29.53	6	15.00	1603	56	2.35
0100-101753-407	0100-101755-407	0100-101754-407	29.53	7	17.50	1870	65	2.74
0100-101753-408	0100-101755-408	0100-101754-408	29.53	8	20.00	2137	75	3.13
0100-101753-409	0100-101755-409	0100-101754-409	29.53	9	22.50	2404	84	3.52
0100-101753-410	0100-101755-410	0100-101754-410	29.53	10	25.00	2671	93	3.91
0100-101753-411	0100-101755-411	0100-101754-411	29.53	11	27.50	2939	103	4.30
0100-101753-412	0100-101755-412	0100-101754-412	29.53	12	30.00	3206	112	4.69
0100-101753-413	0100-101755-413	0100-101754-413	29.53	13	32.50	3473	121	5.08
0100-101753-414	0100-101755-414	0100-101754-414	29.53	14	35.00	3740	131	5.48
0100-101753-415	0100-101755-415	0100-101754-415	29.53	15	37.50	4007	140	5.87
0100-101753-416	0100-101755-416	0100-101754-416	29.53	16	40.00	4274	149	6.26
0100-101753-417	0100-101755-417	0100-101754-417	29.53	17	42.50	4542	158	6.65

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101753-418	0100-101755-418	0100-101754-418	29.53	18	45.00	4809	168	7.04
0100-101753-419	0100-101755-419	0100-101754-419	29.53	19	47.50	5076	177	7.43
0100-101753-420	0100-101755-420	0100-101754-420	29.53	20	50.00	5343	186	7.82
0100-101753-421	0100-101755-421	0100-101754-421	29.53	21	52.50	5610	196	8.21
0100-101753-422	0100-101755-422	0100-101754-422	29.53	22	55.00	5877	205	8.60
0100-101753-423	0100-101755-423	0100-101754-423	29.53	23	57.50	6144	214	9.00
0100-101753-424	0100-101755-424	0100-101754-424	29.53	24	60.00	6412	224	9.39
0100-101753-425	0100-101755-425	0100-101754-425	29.53	25	62.50	6679	233	9.78
0100-101753-426	0100-101755-426	0100-101754-426	29.53	26	65.00	6946	242	10.17
0100-101753-427	0100-101755-427	0100-101754-427	29.53	27	67.50	7213	252	10.56
0100-101753-428	0100-101755-428	0100-101754-428	29.53	28	70.00	7480	261	10.95
0100-101753-429	0100-101755-429	0100-101754-429	29.53	29	72.50	7747	270	11.34
0100-101753-430	0100-101755-430	0100-101754-430	29.53	30	75.00	8014	280	11.73
0100-101753-431	0100-101755-431	0100-101754-431	29.53	31	77.50	8282	289	12.12
0100-101753-432	0100-101755-432	0100-101754-432	29.53	32	80.00	8549	298	12.52
0100-101753-433	0100-101755-433	0100-101754-433	29.53	33	82.50	8816	308	12.91
0100-101753-434	0100-101755-434	0100-101754-434	29.53	34	85.00	9083	317	13.30
0100-101753-435	0100-101755-435	0100-101754-435	29.53	35	87.50	9350	326	13.69
0100-101753-436	0100-101755-436	0100-101754-436	29.53	36	90.00	9617	336	14.08
0100-100853-401	0100-100953-401	0100-101653-401	29.75	1	2.50	269	9	0.39
0100-100853-402	0100-100953-402	0100-101653-402	29.75	2	5.00	538	19	0.79
0100-100853-403	0100-100953-403	0100-101653-403	29.75	3	7.50	807	28	1.18
0100-100853-404	0100-100953-404	0100-101653-404	29.75	4	10.00	1077	38	1.58
0100-100853-405	0100-100953-405	0100-101653-405	29.75	5	12.50	1346	47	1.97
0100-100853-406	0100-100953-406	0100-101653-406	29.75	6	15.00	1615	56	2.36
0100-100853-407	0100-100953-407	0100-101653-407	29.75	7	17.50	1884	66	2.76
0100-100853-408	0100-100953-408	0100-101653-408	29.75	8	20.00	2153	75	3.15
0100-100853-409	0100-100953-409	0100-101653-409	29.75	9	22.50	2422	85	3.55
0100-100853-410	0100-100953-410	0100-101653-410	29.75	10	25.00	2691	94	3.94
0100-100853-411	0100-100953-411	0100-101653-411	29.75	11	27.50	2961	103	4.33
0100-100853-412	0100-100953-412	0100-101653-412	29.75	12	30.00	3230	113	4.73
0100-100853-413	0100-100953-413	0100-101653-413	29.75	13	32.50	3499	122	5.12
0100-100853-414	0100-100953-414	0100-101653-414	29.75	14	35.00	3768	131	5.52
0100-100853-415	0100-100953-415	0100-101653-415	29.75	15	37.50	4037	141	5.91
0100-100853-416	0100-100953-416	0100-101653-416	29.75	16	40.00	4306	150	6.30
0100-100853-417	0100-100953-417	0100-101653-417	29.75	17	42.50	4575	160	6.70
0100-100853-418	0100-100953-418	0100-101653-418	29.75	18	45.00	4845	169	7.09

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100853-419	0100-100953-419	0100-101653-419	29.75	19	47.50	5114	178	7.49
0100-100853-420	0100-100953-420	0100-101653-420	29.75	20	50.00	5383	188	7.88
0100-100853-421	0100-100953-421	0100-101653-421	29.75	21	52.50	5652	197	8.27
0100-100853-422	0100-100953-422	0100-101653-422	29.75	22	55.00	5921	207	8.67
0100-100853-423	0100-100953-423	0100-101653-423	29.75	23	57.50	6190	216	9.06
0100-100853-424	0100-100953-424	0100-101653-424	29.75	24	60.00	6459	225	9.46
0100-100853-901	0100-100953-901	0100-101653-901	32.25	1	2.50	292	10	0.43
0100-100853-902	0100-100953-902	0100-101653-902	32.25	2	5.00	584	20	0.85
0100-100853-903	0100-100953-903	0100-101653-903	32.25	3	7.50	875	31	1.28
0100-100853-904	0100-100953-904	0100-101653-904	32.25	4	10.00	1167	41	1.71
0100-100853-905	0100-100953-905	0100-101653-905	32.25	5	12.50	1459	51	2.14
0100-100853-906	0100-100953-906	0100-101653-906	32.25	6	15.00	1751	61	2.56
0100-100853-907	0100-100953-907	0100-101653-907	32.25	7	17.50	2042	71	2.99
0100-100853-908	0100-100953-908	0100-101653-908	32.25	8	20.00	2334	81	3.42
0100-100853-909	0100-100953-909	0100-101653-909	32.25	9	22.50	2626	92	3.84
0100-100853-910	0100-100953-910	0100-101653-910	32.25	10	25.00	2918	102	4.27
0100-100853-911	0100-100953-911	0100-101653-911	32.25	11	27.50	3209	112	4.70
0100-100853-912	0100-100953-912	0100-101653-912	32.25	12	30.00	3501	122	5.13
0100-100853-913	0100-100953-913	0100-101653-913	32.25	13	32.50	3793	132	5.55
0100-100853-914	0100-100953-914	0100-101653-914	32.25	14	35.00	4085	143	5.98
0100-100853-915	0100-100953-915	0100-101653-915	32.25	15	37.50	4376	153	6.41
0100-100853-916	0100-100953-916	0100-101653-916	32.25	16	40.00	4668	163	6.83
0100-100853-917	0100-100953-917	0100-101653-917	32.25	17	42.50	4960	173	7.26
0100-100853-918	0100-100953-918	0100-101653-918	32.25	18	45.00	5252	183	7.69
0100-100853-919	0100-100953-919	0100-101653-919	32.25	19	47.50	5543	193	8.11
0100-100853-920	0100-100953-920	0100-101653-920	32.25	20	50.00	5835	204	8.54
0100-100853-921	0100-100953-921	0100-101653-921	32.25	21	52.50	6127	214	8.97
0100-100853-922	0100-100953-922	0100-101653-922	32.25	22	55.00	6419	224	9.40
0100-100853-923	0100-100953-923	0100-101653-923	32.25	23	57.50	6710	234	9.82
0100-100853-924	0100-100953-924	0100-101653-924	32.25	24	60.00	7002	244	10.25
0100-101753-501	0100-101755-501	0100-101754-501	35.43	1	2.50	321	11	0.47
0100-101753-502	0100-101755-502	0100-101754-502	35.43	2	5.00	641	22	0.94
0100-101753-503	0100-101755-503	0100-101754-503	35.43	3	7.50	962	34	1.41
0100-101753-504	0100-101755-504	0100-101754-504	35.43	4	10.00	1282	45	1.88
0100-101753-505	0100-101755-505	0100-101754-505	35.43	5	12.50	1603	56	2.35
0100-101753-506	0100-101755-506	0100-101754-506	35.43	6	15.00	1923	67	2.82
0100-101753-507	0100-101755-507	0100-101754-507	35.43	7	17.50	2244	78	3.28

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101753-508	0100-101755-508	0100-101754-508	35.43	8	20.00	2564	89	3.75
0100-101753-509	0100-101755-509	0100-101754-509	35.43	9	22.50	2885	101	4.22
0100-101753-510	0100-101755-510	0100-101754-510	35.43	10	25.00	3205	112	4.69
0100-101753-511	0100-101755-511	0100-101754-511	35.43	11	27.50	3526	123	5.16
0100-101753-512	0100-101755-512	0100-101754-512	35.43	12	30.00	3846	134	5.63
0100-101753-513	0100-101755-513	0100-101754-513	35.43	13	32.50	4167	145	6.10
0100-101753-514	0100-101755-514	0100-101754-514	35.43	14	35.00	4487	157	6.57
0100-101753-515	0100-101755-515	0100-101754-515	35.43	15	37.50	4808	168	7.04
0100-101753-516	0100-101755-516	0100-101754-516	35.43	16	40.00	5128	179	7.51
0100-101753-517	0100-101755-517	0100-101754-517	35.43	17	42.50	5449	190	7.98
0100-101753-518	0100-101755-518	0100-101754-518	35.43	18	45.00	5769	201	8.45
0100-101753-519	0100-101755-519	0100-101754-519	35.43	19	47.50	6090	213	8.91
0100-101753-520	0100-101755-520	0100-101754-520	35.43	20	50.00	6411	224	9.38
0100-101753-521	0100-101755-521	0100-101754-521	35.43	21	52.50	6731	235	9.85
0100-101753-522	0100-101755-522	0100-101754-522	35.43	22	55.00	7052	246	10.32
0100-101753-523	0100-101755-523	0100-101754-523	35.43	23	57.50	7372	257	10.79
0100-101753-524	0100-101755-524	0100-101754-524	35.43	24	60.00	7693	268	11.26
0100-101753-525	0100-101755-525	0100-101754-525	35.43	25	62.50	8013	280	11.73
0100-101753-526	0100-101755-526	0100-101754-526	35.43	26	65.00	8334	291	12.20
0100-101753-527	0100-101755-527	0100-101754-527	35.43	27	67.50	8654	302	12.67
0100-101753-528	0100-101755-528	0100-101754-528	35.43	28	70.00	8975	313	13.14
0100-101753-529	0100-101755-529	0100-101754-529	35.43	29	72.50	9295	324	13.61
0100-101753-530	0100-101755-530	0100-101754-530	35.43	30	75.00	9616	336	14.08
0100-101753-531	0100-101755-531	0100-101754-531	35.43	31	77.50	9936	347	14.55
0100-101753-532	0100-101755-532	0100-101754-532	35.43	32	80.00	10257	358	15.01
0100-101753-533	0100-101755-533	0100-101754-533	35.43	33	82.50	10577	369	15.48
0100-101753-534	0100-101755-534	0100-101754-534	35.43	34	85.00	10898	380	15.95
0100-101753-535	0100-101755-535	0100-101754-535	35.43	35	87.50	11218	391	16.42
0100-101753-536	0100-101755-536	0100-101754-536	35.43	36	90.00	11539	403	16.89
0100-100853-501	0100-100953-501	0100-101653-501	36.00	1	2.50	326	11	0.48
0100-100853-502	0100-100953-502	0100-101653-502	36.00	2	5.00	651	23	0.95
0100-100853-503	0100-100953-503	0100-101653-503	36.00	3	7.50	977	34	1.43
0100-100853-504	0100-100953-504	0100-101653-504	36.00	4	10.00	1303	45	1.91
0100-100853-505	0100-100953-505	0100-101653-505	36.00	5	12.50	1628	57	2.38
0100-100853-506	0100-100953-506	0100-101653-506	36.00	6	15.00	1954	68	2.86
0100-100853-507	0100-100953-507	0100-101653-507	36.00	7	17.50	2280	80	3.34
0100-100853-508	0100-100953-508	0100-101653-508	36.00	8	20.00	2605	91	3.81

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100853-509	0100-100953-509	0100-101653-509	36.00	9	22.50	2931	102	4.29
0100-100853-510	0100-100953-510	0100-101653-510	36.00	10	25.00	3257	114	4.77
0100-100853-511	0100-100953-511	0100-101653-511	36.00	11	27.50	3583	125	5.24
0100-100853-512	0100-100953-512	0100-101653-512	36.00	12	30.00	3908	136	5.72
0100-100853-513	0100-100953-513	0100-101653-513	36.00	13	32.50	4234	148	6.20
0100-100853-514	0100-100953-514	0100-101653-514	36.00	14	35.00	4560	159	6.68
0100-100853-515	0100-100953-515	0100-101653-515	36.00	15	37.50	4885	170	7.15
0100-100853-516	0100-100953-516	0100-101653-516	36.00	16	40.00	5211	182	7.63
0100-100853-517	0100-100953-517	0100-101653-517	36.00	17	42.50	5537	193	8.11
0100-100853-518	0100-100953-518	0100-101653-518	36.00	18	45.00	5862	205	8.58
0100-100853-519	0100-100953-519	0100-101653-519	36.00	19	47.50	6188	216	9.06
0100-100853-520	0100-100953-520	0100-101653-520	36.00	20	50.00	6514	227	9.54
0100-100853-521	0100-100953-521	0100-101653-521	36.00	21	52.50	6839	239	10.01
0100-100853-522	0100-100953-522	0100-101653-522	36.00	22	55.00	7165	250	10.49
0100-100853-523	0100-100953-523	0100-101653-523	36.00	23	57.50	7491	261	10.97
0100-100853-524	0100-100953-524	0100-101653-524	36.00	24	60.00	7816	273	11.44
0100-100853-601	0100-100953-601	0100-101653-601	42.00	1	2.50	380	13	0.56
0100-100853-602	0100-100953-602	0100-101653-602	42.00	2	5.00	760	27	1.11
0100-100853-603	0100-100953-603	0100-101653-603	42.00	3	7.50	1140	40	1.67
0100-100853-604	0100-100953-604	0100-101653-604	42.00	4	10.00	1520	53	2.22
0100-100853-605	0100-100953-605	0100-101653-605	42.00	5	12.50	1900	66	2.78
0100-100853-606	0100-100953-606	0100-101653-606	42.00	6	15.00	2280	80	3.34
0100-100853-607	0100-100953-607	0100-101653-607	42.00	7	17.50	2660	93	3.89
0100-100853-608	0100-100953-608	0100-101653-608	42.00	8	20.00	3040	106	4.45
0100-100853-609	0100-100953-609	0100-101653-609	42.00	9	22.50	3420	119	5.01
0100-100853-610	0100-100953-610	0100-101653-610	42.00	10	25.00	3800	133	5.56
0100-100853-611	0100-100953-611	0100-101653-611	42.00	11	27.50	4180	146	6.12
0100-100853-612	0100-100953-612	0100-101653-612	42.00	12	30.00	4560	159	6.67
0100-100853-613	0100-100953-613	0100-101653-613	42.00	13	32.50	4940	172	7.23
0100-100853-614	0100-100953-614	0100-101653-614	42.00	14	35.00	5319	186	7.79
0100-100853-615	0100-100953-615	0100-101653-615	42.00	15	37.50	5699	199	8.34
0100-100853-616	0100-100953-616	0100-101653-616	42.00	16	40.00	6079	212	8.90
0100-100853-617	0100-100953-617	0100-101653-617	42.00	17	42.50	6459	225	9.46
0100-100853-618	0100-100953-618	0100-101653-618	42.00	18	45.00	6839	239	10.01
0100-100853-619	0100-100953-619	0100-101653-619	42.00	19	47.50	7219	252	10.57
0100-100853-620	0100-100953-620	0100-101653-620	42.00	20	50.00	7599	265	11.12
0100-100853-621	0100-100953-621	0100-101653-621	42.00	21	52.50	7979	278	11.68

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100853-622	0100-100953-622	0100-101653-622	42.00	22	55.00	8359	292	12.24
0100-100853-623	0100-100953-623	0100-101653-623	42.00	23	57.50	8739	305	12.79
0100-100853-624	0100-100953-624	0100-101653-624	42.00	24	60.00	9119	318	13.35
0100-101753-601	0100-101755-601	0100-101754-601	43.31	1	2.50	392	14	0.57
0100-101753-602	0100-101755-602	0100-101754-602	43.31	2	5.00	784	27	1.15
0100-101753-603	0100-101755-603	0100-101754-603	43.31	3	7.50	1175	41	1.72
0100-101753-604	0100-101755-604	0100-101754-604	43.31	4	10.00	1567	55	2.29
0100-101753-605	0100-101755-605	0100-101754-605	43.31	5	12.50	1959	68	2.87
0100-101753-606	0100-101755-606	0100-101754-606	43.31	6	15.00	2351	82	3.44
0100-101753-607	0100-101755-607	0100-101754-607	43.31	7	17.50	2743	96	4.02
0100-101753-608	0100-101755-608	0100-101754-608	43.31	8	20.00	3135	109	4.59
0100-101753-609	0100-101755-609	0100-101754-609	43.31	9	22.50	3526	123	5.16
0100-101753-610	0100-101755-610	0100-101754-610	43.31	10	25.00	3918	137	5.74
0100-101753-611	0100-101755-611	0100-101754-611	43.31	11	27.50	4310	150	6.31
0100-101753-612	0100-101755-612	0100-101754-612	43.31	12	30.00	4702	164	6.88
0100-101753-613	0100-101755-613	0100-101754-613	43.31	13	32.50	5094	178	7.46
0100-101753-614	0100-101755-614	0100-101754-614	43.31	14	35.00	5485	191	8.03
0100-101753-615	0100-101755-615	0100-101754-615	43.31	15	37.50	5877	205	8.60
0100-101753-616	0100-101755-616	0100-101754-616	43.31	16	40.00	6269	219	9.18
0100-101753-617	0100-101755-617	0100-101754-617	43.31	17	42.50	6661	232	9.75
0100-101753-618	0100-101755-618	0100-101754-618	43.31	18	45.00	7053	246	10.32
0100-101753-619	0100-101755-619	0100-101754-619	43.31	19	47.50	7444	260	10.90
0100-101753-620	0100-101755-620	0100-101754-620	43.31	20	50.00	7836	273	11.47
0100-101753-621	0100-101755-621	0100-101754-621	43.31	21	52.50	8228	287	12.05
0100-101753-622	0100-101755-622	0100-101754-622	43.31	22	55.00	8620	301	12.62
0100-101753-623	0100-101755-623	0100-101754-623	43.31	23	57.50	9012	314	13.19
0100-101753-624	0100-101755-624	0100-101754-624	43.31	24	60.00	9404	328	13.77
0100-101753-625	0100-101755-625	0100-101754-625	43.31	25	62.50	9795	342	14.34
0100-101753-626	0100-101755-626	0100-101754-626	43.31	26	65.00	10187	355	14.91
0100-101753-627	0100-101755-627	0100-101754-627	43.31	27	67.50	10579	369	15.49
0100-101753-628	0100-101755-628	0100-101754-628	43.31	28	70.00	10971	383	16.06
0100-101753-629	0100-101755-629	0100-101754-629	43.31	29	72.50	11363	397	16.63
0100-101753-630	0100-101755-630	0100-101754-630	43.31	30	75.00	11754	410	17.21
0100-101753-631	0100-101755-631	0100-101754-631	43.31	31	77.50	12146	424	17.78
0100-101753-632	0100-101755-632	0100-101754-632	43.31	32	80.00	12538	438	18.36
0100-101753-633	0100-101755-633	0100-101754-633	43.31	33	82.50	12930	451	18.93

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101753-634	0100-101755-634	0100-101754-634	43.31	34	85.00	13322	465	19.50
0100-101753-635	0100-101755-635	0100-101754-635	43.31	35	87.50	13713	479	20.08
0100-101753-636	0100-101755-636	0100-101754-636	43.31	36	90.00	14105	492	20.65
0100-100853-701	0100-100953-701	0100-101653-701	48.00	1	2.50	434	15	0.64
0100-100853-702	0100-100953-702	0100-101653-702	48.00	2	5.00	868	30	1.27
0100-100853-703	0100-100953-703	0100-101653-703	48.00	3	7.50	1303	45	1.91
0100-100853-704	0100-100953-704	0100-101653-704	48.00	4	10.00	1737	61	2.54
0100-100853-705	0100-100953-705	0100-101653-705	48.00	5	12.50	2171	76	3.18
0100-100853-706	0100-100953-706	0100-101653-706	48.00	6	15.00	2605	91	3.81
0100-100853-707	0100-100953-707	0100-101653-707	48.00	7	17.50	3040	106	4.45
0100-100853-708	0100-100953-708	0100-101653-708	48.00	8	20.00	3474	121	5.09
0100-100853-709	0100-100953-709	0100-101653-709	48.00	9	22.50	3908	136	5.72
0100-100853-710	0100-100953-710	0100-101653-710	48.00	10	25.00	4342	152	6.36
0100-100853-711	0100-100953-711	0100-101653-711	48.00	11	27.50	4777	167	6.99
0100-100853-712	0100-100953-712	0100-101653-712	48.00	12	30.00	5211	182	7.63
0100-100853-713	0100-100953-713	0100-101653-713	48.00	13	32.50	5645	197	8.26
0100-100853-714	0100-100953-714	0100-101653-714	48.00	14	35.00	6079	212	8.90
0100-100853-715	0100-100953-715	0100-101653-715	48.00	15	37.50	6514	227	9.54
0100-100853-716	0100-100953-716	0100-101653-716	48.00	16	40.00	6948	242	10.17
0100-100853-717	0100-100953-717	0100-101653-717	48.00	17	42.50	7382	258	10.81
0100-100853-718	0100-100953-718	0100-101653-718	48.00	18	45.00	7816	273	11.44
0100-100853-719	0100-100953-719	0100-101653-719	48.00	19	47.50	8251	288	12.08
0100-100853-720	0100-100953-720	0100-101653-720	48.00	20	50.00	8685	303	12.71
0100-100853-721	0100-100953-721	0100-101653-721	48.00	21	52.50	9119	318	13.35
0100-100853-722	0100-100953-722	0100-101653-722	48.00	22	55.00	9553	333	13.99
0100-100853-723	0100-100953-723	0100-101653-723	48.00	23	57.50	9988	349	14.62
0100-100853-724	0100-100953-724	0100-101653-724	48.00	24	60.00	10422	364	15.26
0100-100853-001	0100-100953-001	0100-101653-001	54.00	1	2.50	489	17	0.72
0100-100853-002	0100-100953-002	0100-101653-002	54.00	2	5.00	977	34	1.43
0100-100853-003	0100-100953-003	0100-101653-003	54.00	3	7.50	1466	51	2.15
0100-100853-004	0100-100953-004	0100-101653-004	54.00	4	10.00	1954	68	2.86
0100-100853-005	0100-100953-005	0100-101653-005	54.00	5	12.50	2443	85	3.58
0100-100853-006	0100-100953-006	0100-101653-006	54.00	6	15.00	2931	102	4.29
0100-100853-007	0100-100953-007	0100-101653-007	54.00	7	17.50	3420	119	5.01
0100-100853-008	0100-100953-008	0100-101653-008	54.00	8	20.00	3908	136	5.72
0100-100853-009	0100-100953-009	0100-101653-009	54.00	9	22.50	4397	153	6.44
0100-100853-010	0100-100953-010	0100-101653-010	54.00	10	25.00	4885	170	7.15

TABLE 2: Ordering Information for Corrugated Radiators, 6" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100853-011	0100-100953-011	0100-101653-011	54.00	11	27.50	5374	188	7.87
0100-100853-012	0100-100953-012	0100-101653-012	54.00	12	30.00	5862	205	8.58
0100-100853-013	0100-100953-013	0100-101653-013	54.00	13	32.50	6351	222	9.30
0100-100853-014	0100-100953-014	0100-101653-014	54.00	14	35.00	6839	239	10.01
0100-100853-015	0100-100953-015	0100-101653-015	54.00	15	37.50	7328	256	10.73
0100-100853-016	0100-100953-016	0100-101653-016	54.00	16	40.00	7816	273	11.44
0100-100853-017	0100-100953-017	0100-101653-017	54.00	17	42.50	8305	290	12.16
0100-100853-018	0100-100953-018	0100-101653-018	54.00	18	45.00	8793	307	12.87
0100-100853-019	0100-100953-019	0100-101653-019	54.00	19	47.50	9282	324	13.59
0100-100853-020	0100-100953-020	0100-101653-020	54.00	20	50.00	9770	341	14.30
0100-100853-021	0100-100953-021	0100-101653-021	54.00	21	52.50	10259	358	15.02
0100-100853-022	0100-100953-022	0100-101653-022	54.00	22	55.00	10748	375	15.73
0100-100853-023	0100-100953-023	0100-101653-023	54.00	23	57.50	11236	392	16.45
0100-100853-024	0100-100953-024	0100-101653-024	54.00	24	60.00	11725	409	17.16

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101759-101	0100-101761-101	0100-101760-101	15.75	1	2.50	190	6	0.28
0100-101759-102	0100-101761-102	0100-101760-102	15.75	2	5.00	379	13	0.56
0100-101759-103	0100-101761-103	0100-101760-103	15.75	3	7.50	569	19	0.83
0100-101759-104	0100-101761-104	0100-101760-104	15.75	4	10.00	759	26	1.11
0100-101759-105	0100-101761-105	0100-101760-105	15.75	5	12.50	949	32	1.39
0100-101759-106	0100-101761-106	0100-101760-106	15.75	6	15.00	1138	38	1.67
0100-101759-107	0100-101761-107	0100-101760-107	15.75	7	17.50	1328	45	1.95
0100-101759-108	0100-101761-108	0100-101760-108	15.75	8	20.00	1518	51	2.22
0100-101759-109	0100-101761-109	0100-101760-109	15.75	9	22.50	1708	58	2.50
0100-101759-110	0100-101761-110	0100-101760-110	15.75	10	25.00	1897	64	2.78
0100-101759-111	0100-101761-111	0100-101760-111	15.75	11	27.50	2087	70	3.06
0100-101759-112	0100-101761-112	0100-101760-112	15.75	12	30.00	2277	77	3.33
0100-101759-113	0100-101761-113	0100-101760-113	15.75	13	32.50	2467	83	3.61
0100-101759-114	0100-101761-114	0100-101760-114	15.75	14	35.00	2656	90	3.89
0100-101759-115	0100-101761-115	0100-101760-115	15.75	15	37.50	2846	96	4.17
0100-101759-116	0100-101761-116	0100-101760-116	15.75	16	40.00	3036	102	4.45
0100-101759-117	0100-101761-117	0100-101760-117	15.75	17	42.50	3226	109	4.72
0100-101759-118	0100-101761-118	0100-101760-118	15.75	18	45.00	3415	115	5.00
0100-101759-119	0100-101761-119	0100-101760-119	15.75	19	47.50	3605	122	5.28
0100-101759-120	0100-101761-120	0100-101760-120	15.75	20	50.00	3795	128	5.56
0100-101759-121	0100-101761-121	0100-101760-121	15.75	21	52.50	3985	135	5.84
0100-101759-122	0100-101761-122	0100-101760-122	15.75	22	55.00	4174	141	6.11
0100-101759-123	0100-101761-123	0100-101760-123	15.75	23	57.50	4364	147	6.39
0100-101759-124	0100-101761-124	0100-101760-124	15.75	24	60.00	4554	154	6.67
0100-101759-125	0100-101761-125	0100-101760-125	15.75	25	62.50	4744	160	6.95
0100-101759-126	0100-101761-126	0100-101760-126	15.75	26	65.00	4933	167	7.23
0100-101759-127	0100-101761-127	0100-101760-127	15.75	27	67.50	5123	173	7.50
0100-101759-128	0100-101761-128	0100-101760-128	15.75	28	70.00	5313	179	7.78
0100-101759-129	0100-101761-129	0100-101760-129	15.75	29	72.50	5502	186	8.06
0100-101759-130	0100-101761-130	0100-101760-130	15.75	30	75.00	5692	192	8.34
0100-101759-131	0100-101761-131	0100-101760-131	15.75	31	77.50	5882	199	8.61
0100-101759-132	0100-101761-132	0100-101760-132	15.75	32	80.00	6072	205	8.89
0100-101759-133	0100-101761-133	0100-101760-133	15.75	33	82.50	6261	211	9.17
0100-101759-134	0100-101761-134	0100-101760-134	15.75	34	85.00	6451	218	9.45
0100-101759-135	0100-101761-135	0100-101760-135	15.75	35	87.50	6641	224	9.73
0100-101759-136	0100-101761-136	0100-101760-136	15.75	36	90.00	6831	231	10.00
0100-100855-101	0100-100655-101	0100-101655-101	17.00	1	2.50	205	7	0.30

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100855-102	0100-100655-102	0100-101655-102	17.00	2	5.00	410	14	0.60
0100-100855-103	0100-100655-103	0100-101655-103	17.00	3	7.50	614	21	0.90
0100-100855-104	0100-100655-104	0100-101655-104	17.00	4	10.00	819	28	1.20
0100-100855-105	0100-100655-105	0100-101655-105	17.00	5	12.50	1024	35	1.50
0100-100855-106	0100-100655-106	0100-101655-106	17.00	6	15.00	1229	41	1.80
0100-100855-107	0100-100655-107	0100-101655-107	17.00	7	17.50	1434	48	2.10
0100-100855-108	0100-100655-108	0100-101655-108	17.00	8	20.00	1638	55	2.39
0100-100855-109	0100-100655-109	0100-101655-109	17.00	9	22.50	1843	62	2.69
0100-100855-110	0100-100655-110	0100-101655-110	17.00	10	25.00	2048	69	2.99
0100-100855-111	0100-100655-111	0100-101655-111	17.00	11	27.50	2253	76	3.29
0100-100855-112	0100-100655-112	0100-101655-112	17.00	12	30.00	2458	83	3.59
0100-100855-113	0100-100655-113	0100-101655-113	17.00	13	32.50	2662	90	3.89
0100-100855-114	0100-100655-114	0100-101655-114	17.00	14	35.00	2867	97	4.19
0100-100855-115	0100-100655-115	0100-101655-115	17.00	15	37.50	3072	104	4.49
0100-100855-116	0100-100655-116	0100-101655-116	17.00	16	40.00	3277	111	4.79
0100-100855-117	0100-100655-117	0100-101655-117	17.00	17	42.50	3482	118	5.09
0100-100855-118	0100-100655-118	0100-101655-118	17.00	18	45.00	3686	124	5.39
0100-100855-119	0100-100655-119	0100-101655-119	17.00	19	47.50	3891	131	5.69
0100-100855-120	0100-100655-120	0100-101655-120	17.00	20	50.00	4096	138	5.99
0100-100855-121	0100-100655-121	0100-101655-121	17.00	21	52.50	4301	145	6.29
0100-100855-122	0100-100655-122	0100-101655-122	17.00	22	55.00	4506	152	6.58
0100-100855-123	0100-100655-123	0100-101655-123	17.00	23	57.50	4710	159	6.88
0100-100855-124	0100-100655-124	0100-101655-124	17.00	24	60.00	4915	166	7.18
0100-100855-125	0100-100655-125	0100-101655-125	17.00	25	62.50	5120	173	7.48
0100-100855-201	0100-100655-201	0100-101655-201	20.00	1	2.50	243	8	0.33
0100-100855-202	0100-100655-202	0100-101655-202	20.00	2	5.00	486	16	0.66
0100-100855-203	0100-100655-203	0100-101655-203	20.00	3	7.50	730	24	0.98
0100-100855-204	0100-100655-204	0100-101655-204	20.00	4	10.00	973	33	1.31
0100-100855-205	0100-100655-205	0100-101655-205	20.00	5	12.50	1216	41	1.64
0100-100855-206	0100-100655-206	0100-101655-206	20.00	6	15.00	1459	49	1.97
0100-100855-207	0100-100655-207	0100-101655-207	20.00	7	17.50	1702	57	2.30
0100-100855-208	0100-100655-208	0100-101655-208	20.00	8	20.00	1946	65	2.62
0100-100855-209	0100-100655-209	0100-101655-209	20.00	9	22.50	2189	73	2.95
0100-100855-210	0100-100655-210	0100-101655-210	20.00	10	25.00	2432	81	3.28
0100-100855-211	0100-100655-211	0100-101655-211	20.00	11	27.50	2675	89	3.61
0100-100855-212	0100-100655-212	0100-101655-212	20.00	12	30.00	2918	98	3.94
0100-100855-213	0100-100655-213	0100-101655-213	20.00	13	32.50	3162	106	4.26

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100855-214	0100-100655-214	0100-101655-214	20.00	14	35.00	3405	114	4.59
0100-100855-215	0100-100655-215	0100-101655-215	20.00	15	37.50	3648	122	4.92
0100-100855-216	0100-100655-216	0100-101655-216	20.00	16	40.00	3891	130	5.25
0100-100855-217	0100-100655-217	0100-101655-217	20.00	17	42.50	4134	138	5.58
0100-100855-218	0100-100655-218	0100-101655-218	20.00	18	45.00	4378	146	5.90
0100-100855-219	0100-100655-219	0100-101655-219	20.00	19	47.50	4621	155	6.23
0100-100855-220	0100-100655-220	0100-101655-220	20.00	20	50.00	4864	163	6.56
0100-100855-221	0100-100655-221	0100-101655-221	20.00	21	52.50	5107	171	6.89
0100-100855-222	0100-100655-222	0100-101655-222	20.00	22	55.00	5350	179	7.22
0100-100855-223	0100-100655-223	0100-101655-223	20.00	23	57.50	5594	187	7.54
0100-100855-224	0100-100655-224	0100-101655-224	20.00	24	60.00	5837	195	7.87
0100-100855-225	0100-100655-225	0100-101655-225	20.00	25	62.50	6080	203	8.20
0100-101759-301	0100-101761-301	0100-101760-301	23.62	1	2.50	287	10	0.39
0100-101759-302	0100-101761-302	0100-101760-302	23.62	2	5.00	574	19	0.77
0100-101759-303	0100-101761-303	0100-101760-303	23.62	3	7.50	862	29	1.16
0100-101759-304	0100-101761-304	0100-101760-304	23.62	4	10.00	1149	38	1.55
0100-101759-305	0100-101761-305	0100-101760-305	23.62	5	12.50	1436	48	1.94
0100-101759-306	0100-101761-306	0100-101760-306	23.62	6	15.00	1723	58	2.32
0100-101759-307	0100-101761-307	0100-101760-307	23.62	7	17.50	2011	67	2.71
0100-101759-308	0100-101761-308	0100-101760-308	23.62	8	20.00	2298	77	3.10
0100-101759-309	0100-101761-309	0100-101760-309	23.62	9	22.50	2585	86	3.49
0100-101759-310	0100-101761-310	0100-101760-310	23.62	10	25.00	2872	96	3.87
0100-101759-311	0100-101761-311	0100-101760-311	23.62	11	27.50	3159	106	4.26
0100-101759-312	0100-101761-312	0100-101760-312	23.62	12	30.00	3447	115	4.65
0100-101759-313	0100-101761-313	0100-101760-313	23.62	13	32.50	3734	125	5.04
0100-101759-314	0100-101761-314	0100-101760-314	23.62	14	35.00	4021	134	5.42
0100-101759-315	0100-101761-315	0100-101760-315	23.62	15	37.50	4308	144	5.81
0100-101759-316	0100-101761-316	0100-101760-316	23.62	16	40.00	4596	154	6.20
0100-101759-317	0100-101761-317	0100-101760-317	23.62	17	42.50	4883	163	6.59
0100-101759-318	0100-101761-318	0100-101760-318	23.62	18	45.00	5170	173	6.97
0100-101759-319	0100-101761-319	0100-101760-319	23.62	19	47.50	5457	183	7.36
0100-101759-320	0100-101761-320	0100-101760-320	23.62	20	50.00	5744	192	7.75
0100-101759-321	0100-101761-321	0100-101760-321	23.62	21	52.50	6032	202	8.14
0100-101759-322	0100-101761-322	0100-101760-322	23.62	22	55.00	6319	211	8.52
0100-101759-323	0100-101761-323	0100-101760-323	23.62	23	57.50	6606	221	8.91
0100-101759-324	0100-101761-324	0100-101760-324	23.62	24	60.00	6893	231	9.30
0100-101759-325	0100-101761-325	0100-101760-325	23.62	25	62.50	7180	240	9.69

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101759-326	0100-101761-326	0100-101760-326	23.62	26	65.00	7468	250	10.07
0100-101759-327	0100-101761-327	0100-101760-327	23.62	27	67.50	7755	259	10.46
0100-101759-328	0100-101761-328	0100-101760-328	23.62	28	70.00	8042	269	10.85
0100-101759-329	0100-101761-329	0100-101760-329	23.62	29	72.50	8329	279	11.23
0100-101759-330	0100-101761-330	0100-101760-330	23.62	30	75.00	8617	288	11.62
0100-101759-331	0100-101761-331	0100-101760-331	23.62	31	77.50	8904	298	12.01
0100-101759-332	0100-101761-332	0100-101760-332	23.62	32	80.00	9191	307	12.40
0100-101759-333	0100-101761-333	0100-101760-333	23.62	33	82.50	9478	317	12.78
0100-101759-334	0100-101761-334	0100-101760-334	23.62	34	85.00	9765	327	13.17
0100-101759-335	0100-101761-335	0100-101760-335	23.62	35	87.50	10053	336	13.56
0100-101759-336	0100-101761-336	0100-101760-336	23.62	36	90.00	10340	346	13.95
0100-100855-301	0100-100655-301	0100-101655-301	24.25	1	2.50	301	10	0.42
0100-100855-302	0100-100655-302	0100-101655-302	24.25	2	5.00	602	20	0.85
0100-100855-303	0100-100655-303	0100-101655-303	24.25	3	7.50	902	30	1.27
0100-100855-304	0100-100655-304	0100-101655-304	24.25	4	10.00	1203	39	1.70
0100-100855-305	0100-100655-305	0100-101655-305	24.25	5	12.50	1504	49	2.12
0100-100855-306	0100-100655-306	0100-101655-306	24.25	6	15.00	1805	59	2.54
0100-100855-307	0100-100655-307	0100-101655-307	24.25	7	17.50	2106	69	2.97
0100-100855-308	0100-100655-308	0100-101655-308	24.25	8	20.00	2406	79	3.39
0100-100855-309	0100-100655-309	0100-101655-309	24.25	9	22.50	2707	89	3.82
0100-100855-310	0100-100655-310	0100-101655-310	24.25	10	25.00	3008	99	4.24
0100-100855-311	0100-100655-311	0100-101655-311	24.25	11	27.50	3309	108	4.66
0100-100855-312	0100-100655-312	0100-101655-312	24.25	12	30.00	3610	118	5.09
0100-100855-313	0100-100655-313	0100-101655-313	24.25	13	32.50	3910	128	5.51
0100-100855-314	0100-100655-314	0100-101655-314	24.25	14	35.00	4211	138	5.94
0100-100855-315	0100-100655-315	0100-101655-315	24.25	15	37.50	4512	148	6.36
0100-100855-316	0100-100655-316	0100-101655-316	24.25	16	40.00	4813	158	6.78
0100-100855-317	0100-100655-317	0100-101655-317	24.25	17	42.50	5114	168	7.21
0100-100855-318	0100-100655-318	0100-101655-318	24.25	18	45.00	5414	178	7.63
0100-100855-319	0100-100655-319	0100-101655-319	24.25	19	47.50	5715	187	8.06
0100-100855-320	0100-100655-320	0100-101655-320	24.25	20	50.00	6016	197	8.48
0100-100855-321	0100-100655-321	0100-101655-321	24.25	21	52.50	6317	207	8.90
0100-100855-322	0100-100655-322	0100-101655-322	24.25	22	55.00	6618	217	9.33
0100-100855-323	0100-100655-323	0100-101655-323	24.25	23	57.50	6918	227	9.75
0100-100855-324	0100-100655-324	0100-101655-324	24.25	24	60.00	7219	237	10.18
0100-100855-325	0100-100655-325	0100-101655-325	24.25	25	62.50	7520	247	10.60
0100-100855-801	0100-100655-801	0100-101655-801	26.00	1	2.50	323	11	0.45

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100855-802	0100-100655-802	0100-101655-802	26.00	2	5.00	645	21	0.91
0100-100855-803	0100-100655-803	0100-101655-803	26.00	3	7.50	968	32	1.36
0100-100855-804	0100-100655-804	0100-101655-804	26.00	4	10.00	1290	42	1.82
0100-100855-805	0100-100655-805	0100-101655-805	26.00	5	12.50	1613	53	2.27
0100-100855-806	0100-100655-806	0100-101655-806	26.00	6	15.00	1935	63	2.73
0100-100855-807	0100-100655-807	0100-101655-807	26.00	7	17.50	2258	74	3.18
0100-100855-808	0100-100655-808	0100-101655-808	26.00	8	20.00	2580	85	3.64
0100-100855-809	0100-100655-809	0100-101655-809	26.00	9	22.50	2903	95	4.09
0100-100855-810	0100-100655-810	0100-101655-810	26.00	10	25.00	3225	106	4.55
0100-100855-811	0100-100655-811	0100-101655-811	26.00	11	27.50	3548	116	5.00
0100-100855-812	0100-100655-812	0100-101655-812	26.00	12	30.00	3870	127	5.46
0100-100855-813	0100-100655-813	0100-101655-813	26.00	13	32.50	4193	137	5.91
0100-100855-814	0100-100655-814	0100-101655-814	26.00	14	35.00	4515	148	6.36
0100-100855-815	0100-100655-815	0100-101655-815	26.00	15	37.50	4838	159	6.82
0100-100855-816	0100-100655-816	0100-101655-816	26.00	16	40.00	5160	169	7.27
0100-100855-817	0100-100655-817	0100-101655-817	26.00	17	42.50	5483	180	7.73
0100-100855-818	0100-100655-818	0100-101655-818	26.00	18	45.00	5805	190	8.18
0100-100855-819	0100-100655-819	0100-101655-819	26.00	19	47.50	6128	201	8.64
0100-100855-820	0100-100655-820	0100-101655-820	26.00	20	50.00	6450	211	9.09
0100-100855-821	0100-100655-821	0100-101655-821	26.00	21	52.50	6773	222	9.55
0100-100855-822	0100-100655-822	0100-101655-822	26.00	22	55.00	7095	233	10.00
0100-100855-823	0100-100655-823	0100-101655-823	26.00	23	57.50	7418	243	10.46
0100-100855-824	0100-100655-824	0100-101655-824	26.00	24	60.00	7740	254	10.91
0100-100855-825	0100-100655-825	0100-101655-825	26.00	25	62.50	8063	264	11.37
0100-100665-801	0100-100666-801	0100-100667-801	27.60	1	2.50	333	6	0.21
0100-100665-802	0100-100666-802	0100-100667-802	27.60	2	5.00	666	11	0.42
0100-100665-803	0100-100666-803	0100-100667-803	27.60	3	7.50	999	17	0.64
0100-100665-804	0100-100666-804	0100-100667-804	27.60	4	10.00	1332	22	0.85
0100-100665-805	0100-100666-805	0100-100667-805	27.60	5	12.50	1665	28	1.06
0100-100665-806	0100-100666-806	0100-100667-806	27.60	6	15.00	1998	33	1.27
0100-100665-807	0100-100666-807	0100-100667-807	27.60	7	17.50	2331	39	1.49
0100-100665-808	0100-100666-808	0100-100667-808	27.60	8	20.00	2664	45	1.70
0100-100665-809	0100-100666-809	0100-100667-809	27.60	9	22.50	2997	50	1.91
0100-100665-810	0100-100666-810	0100-100667-810	27.60	10	25.00	3331	56	2.12
0100-100665-811	0100-100666-811	0100-100667-811	27.60	11	27.50	3664	61	2.34
0100-100665-812	0100-100666-812	0100-100667-812	27.60	12	30.00	3997	67	2.55
0100-100665-813	0100-100666-813	0100-100667-813	27.60	13	32.50	4330	72	2.76

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100665-814	0100-100666-814	0100-100667-814	27.60	14	35.00	4663	78	2.97
0100-100665-815	0100-100666-815	0100-100667-815	27.60	15	37.50	4996	84	3.19
0100-100665-816	0100-100666-816	0100-100667-816	27.60	16	40.00	5329	89	3.40
0100-100665-817	0100-100666-817	0100-100667-817	27.60	17	42.50	5662	95	3.61
0100-100665-818	0100-100666-818	0100-100667-818	27.60	18	45.00	5995	100	3.82
0100-100665-819	0100-100666-819	0100-100667-819	27.60	19	47.50	6328	106	4.04
0100-100665-820	0100-100666-820	0100-100667-820	27.60	20	50.00	6661	111	4.25
0100-100665-821	0100-100666-821	0100-100667-821	27.60	21	52.50	6994	117	4.46
0100-100665-822	0100-100666-822	0100-100667-822	27.60	22	55.00	7327	123	4.67
0100-100665-823	0100-100666-823	0100-100667-823	27.60	23	57.50	7660	128	4.89
0100-100665-824	0100-100666-824	0100-100667-824	27.60	24	60.00	7993	134	5.10
0100-100665-825	0100-100666-825	0100-100667-825	27.60	25	62.50	8326	139	5.31
0100-100665-826	0100-100666-826	0100-100667-826	27.60	26	65.00	8659	145	5.52
0100-100665-827	0100-100666-827	0100-100667-827	27.60	27	67.50	8992	150	5.73
0100-100665-828	0100-100666-828	0100-100667-828	27.60	28	70.00	9326	156	5.95
0100-100665-829	0100-100666-829	0100-100667-829	27.60	29	72.50	9659	162	6.16
0100-100665-830	0100-100666-830	0100-100667-830	27.60	30	75.00	9992	167	6.37
0100-100665-831	0100-100666-831	0100-100667-831	27.60	31	77.50	10325	173	6.58
0100-100665-832	0100-100666-832	0100-100667-832	27.60	32	80.00	10658	178	6.80
0100-100665-833	0100-100666-833	0100-100667-833	27.60	33	82.50	10991	184	7.01
0100-100665-834	0100-100666-834	0100-100667-834	27.60	34	85.00	11324	189	7.22
0100-100665-835	0100-100666-835	0100-100667-835	27.60	35	87.50	11657	195	7.43
0100-100665-836	0100-100666-836	0100-100667-836	27.60	36	90.00	11990	201	7.65
0100-101759-401	0100-101761-401	0100-101760-401	29.53	1	2.50	356	12	0.52
0100-101759-402	0100-101761-402	0100-101760-402	29.53	2	5.00	713	24	1.04
0100-101759-403	0100-101761-403	0100-101760-403	29.53	3	7.50	1069	36	1.56
0100-101759-404	0100-101761-404	0100-101760-404	29.53	4	10.00	1425	48	2.08
0100-101759-405	0100-101761-405	0100-101760-405	29.53	5	12.50	1782	60	2.61
0100-101759-406	0100-101761-406	0100-101760-406	29.53	6	15.00	2138	72	3.13
0100-101759-407	0100-101761-407	0100-101760-407	29.53	7	17.50	2494	84	3.65
0100-101759-408	0100-101761-408	0100-101760-408	29.53	8	20.00	2851	96	4.17
0100-101759-409	0100-101761-409	0100-101760-409	29.53	9	22.50	3207	108	4.69
0100-101759-410	0100-101761-410	0100-101760-410	29.53	10	25.00	3563	120	5.21
0100-101759-411	0100-101761-411	0100-101760-411	29.53	11	27.50	3920	132	5.73
0100-101759-412	0100-101761-412	0100-101760-412	29.53	12	30.00	4276	144	6.25
0100-101759-413	0100-101761-413	0100-101760-413	29.53	13	32.50	4632	156	6.77
0100-101759-414	0100-101761-414	0100-101760-414	29.53	14	35.00	4989	168	7.30

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101759-415	0100-101761-415	0100-101760-415	29.53	15	37.50	5345	180	7.82
0100-101759-416	0100-101761-416	0100-101760-416	29.53	16	40.00	5702	192	8.34
0100-101759-417	0100-101761-417	0100-101760-417	29.53	17	42.50	6058	204	8.86
0100-101759-418	0100-101761-418	0100-101760-418	29.53	18	45.00	6414	216	9.38
0100-101759-419	0100-101761-419	0100-101760-419	29.53	19	47.50	6771	228	9.90
0100-101759-420	0100-101761-420	0100-101760-420	29.53	20	50.00	7127	240	10.42
0100-101759-421	0100-101761-421	0100-101760-421	29.53	21	52.50	7483	252	10.94
0100-101759-422	0100-101761-422	0100-101760-422	29.53	22	55.00	7840	264	11.46
0100-101759-423	0100-101761-423	0100-101760-423	29.53	23	57.50	8196	276	11.99
0100-101759-424	0100-101761-424	0100-101760-424	29.53	24	60.00	8552	288	12.51
0100-101759-425	0100-101761-425	0100-101760-425	29.53	25	62.50	8909	300	13.03
0100-101759-426	0100-101761-426	0100-101760-426	29.53	26	65.00	9265	312	13.55
0100-101759-427	0100-101761-427	0100-101760-427	29.53	27	67.50	9621	324	14.07
0100-101759-428	0100-101761-428	0100-101760-428	29.53	28	70.00	9978	336	14.59
0100-101759-429	0100-101761-429	0100-101760-429	29.53	29	72.50	10334	348	15.11
0100-101759-430	0100-101761-430	0100-101760-430	29.53	30	75.00	10690	360	15.63
0100-101759-431	0100-101761-431	0100-101760-431	29.53	31	77.50	11047	372	16.15
0100-101759-432	0100-101761-432	0100-101760-432	29.53	32	80.00	11403	384	16.68
0100-101759-433	0100-101761-433	0100-101760-433	29.53	33	82.50	11759	396	17.20
0100-101759-434	0100-101761-434	0100-101760-434	29.53	34	85.00	12116	408	17.72
0100-101759-435	0100-101761-435	0100-101760-435	29.53	35	87.50	12472	420	18.24
0100-101759-436	0100-101761-436	0100-101760-436	29.53	36	90.00	12828	432	18.76
0100-100855-401	0100-100655-401	0100-101655-401	29.75	1	2.50	359	12	0.53
0100-100855-402	0100-100655-402	0100-101655-402	29.75	2	5.00	718	24	1.05
0100-100855-403	0100-100655-403	0100-101655-403	29.75	3	7.50	1077	36	1.58
0100-100855-404	0100-100655-404	0100-101655-404	29.75	4	10.00	1436	48	2.10
0100-100855-405	0100-100655-405	0100-101655-405	29.75	5	12.50	1795	60	2.63
0100-100855-406	0100-100655-406	0100-101655-406	29.75	6	15.00	2154	73	3.15
0100-100855-407	0100-100655-407	0100-101655-407	29.75	7	17.50	2513	85	3.68
0100-100855-408	0100-100655-408	0100-101655-408	29.75	8	20.00	2872	97	4.20
0100-100855-409	0100-100655-409	0100-101655-409	29.75	9	22.50	3231	109	4.73
0100-100855-410	0100-100655-410	0100-101655-410	29.75	10	25.00	3590	121	5.25
0100-100855-411	0100-100655-411	0100-101655-411	29.75	11	27.50	3949	133	5.78
0100-100855-412	0100-100655-412	0100-101655-412	29.75	12	30.00	4308	145	6.30
0100-100855-413	0100-100655-413	0100-101655-413	29.75	13	32.50	4667	157	6.83
0100-100855-414	0100-100655-414	0100-101655-414	29.75	14	35.00	5026	169	7.35
0100-100855-415	0100-100655-415	0100-101655-415	29.75	15	37.50	5385	181	7.88

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100855-416	0100-100655-416	0100-101655-416	29.75	16	40.00	5744	194	8.40
0100-100855-417	0100-100655-417	0100-101655-417	29.75	17	42.50	6103	206	8.93
0100-100855-418	0100-100655-418	0100-101655-418	29.75	18	45.00	6462	218	9.45
0100-100855-419	0100-100655-419	0100-101655-419	29.75	19	47.50	6821	230	9.98
0100-100855-420	0100-100655-420	0100-101655-420	29.75	20	50.00	7180	242	10.50
0100-100855-421	0100-100655-421	0100-101655-421	29.75	21	52.50	7539	254	11.03
0100-100855-422	0100-100655-422	0100-101655-422	29.75	22	55.00	7898	266	11.55
0100-100855-423	0100-100655-423	0100-101655-423	29.75	23	57.50	8257	278	12.08
0100-100855-424	0100-100655-424	0100-101655-424	29.75	24	60.00	8616	290	12.60
0100-100855-425	0100-100655-425	0100-101655-425	29.75	25	62.50	8975	302	13.13
0100-100855-901	0100-100655-901	0100-101655-901	32.25	1	2.50	389	13	0.57
0100-100855-902	0100-100655-902	0100-101655-902	32.25	2	5.00	778	26	1.14
0100-100855-903	0100-100655-903	0100-101655-903	32.25	3	7.50	1168	39	1.71
0100-100855-904	0100-100655-904	0100-101655-904	32.25	4	10.00	1557	52	2.28
0100-100855-905	0100-100655-905	0100-101655-905	32.25	5	12.50	1946	66	2.85
0100-100855-906	0100-100655-906	0100-101655-906	32.25	6	15.00	2335	79	3.41
0100-100855-907	0100-100655-907	0100-101655-907	32.25	7	17.50	2724	92	3.98
0100-100855-908	0100-100655-908	0100-101655-908	32.25	8	20.00	3113	105	4.55
0100-100855-909	0100-100655-909	0100-101655-909	32.25	9	22.50	3503	118	5.12
0100-100855-910	0100-100655-910	0100-101655-910	32.25	10	25.00	3892	131	5.69
0100-100855-911	0100-100655-911	0100-101655-911	32.25	11	27.50	4281	144	6.26
0100-100855-912	0100-100655-912	0100-101655-912	32.25	12	30.00	4670	157	6.83
0100-100855-913	0100-100655-913	0100-101655-913	32.25	13	32.50	5059	171	7.40
0100-100855-914	0100-100655-914	0100-101655-914	32.25	14	35.00	5448	184	7.97
0100-100855-915	0100-100655-915	0100-101655-915	32.25	15	37.50	5838	197	8.54
0100-100855-916	0100-100655-916	0100-101655-916	32.25	16	40.00	6227	210	9.11
0100-100855-917	0100-100655-917	0100-101655-917	32.25	17	42.50	6616	223	9.67
0100-100855-918	0100-100655-918	0100-101655-918	32.25	18	45.00	7005	236	10.24
0100-100855-919	0100-100655-919	0100-101655-919	32.25	19	47.50	7394	249	10.81
0100-100855-920	0100-100655-920	0100-101655-920	32.25	20	50.00	7783	262	11.38
0100-100855-921	0100-100655-921	0100-101655-921	32.25	21	52.50	8173	275	11.95
0100-100855-922	0100-100655-922	0100-101655-922	32.25	22	55.00	8562	289	12.52
0100-100855-923	0100-100655-923	0100-101655-923	32.25	23	57.50	8951	302	13.09
0100-100855-924	0100-100655-924	0100-101655-924	32.25	24	60.00	9340	315	13.66
0100-100855-925	0100-100655-925	0100-101655-925	32.25	25	62.50	9729	328	14.23
0100-101759-501	0100-101761-501	0100-101760-501	35.43	1	2.50	428	14	0.63
0100-101759-502	0100-101761-502	0100-101760-502	35.43	2	5.00	855	29	1.25

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101759-503	0100-101761-503	0100-101760-503	35.43	3	7.50	1283	43	1.88
0100-101759-504	0100-101761-504	0100-101760-504	35.43	4	10.00	1710	58	2.50
0100-101759-505	0100-101761-505	0100-101760-505	35.43	5	12.50	2138	72	3.13
0100-101759-506	0100-101761-506	0100-101760-506	35.43	6	15.00	2565	86	3.75
0100-101759-507	0100-101761-507	0100-101760-507	35.43	7	17.50	2993	101	4.38
0100-101759-508	0100-101761-508	0100-101760-508	35.43	8	20.00	3420	115	5.00
0100-101759-509	0100-101761-509	0100-101760-509	35.43	9	22.50	3848	130	5.63
0100-101759-510	0100-101761-510	0100-101760-510	35.43	10	25.00	4275	144	6.25
0100-101759-511	0100-101761-511	0100-101760-511	35.43	11	27.50	4703	159	6.88
0100-101759-512	0100-101761-512	0100-101760-512	35.43	12	30.00	5131	173	7.50
0100-101759-513	0100-101761-513	0100-101760-513	35.43	13	32.50	5558	187	8.13
0100-101759-514	0100-101761-514	0100-101760-514	35.43	14	35.00	5986	202	8.75
0100-101759-515	0100-101761-515	0100-101760-515	35.43	15	37.50	6413	216	9.38
0100-101759-516	0100-101761-516	0100-101760-516	35.43	16	40.00	6841	231	10.00
0100-101759-517	0100-101761-517	0100-101760-517	35.43	17	42.50	7268	245	10.63
0100-101759-518	0100-101761-518	0100-101760-518	35.43	18	45.00	7696	259	11.25
0100-101759-519	0100-101761-519	0100-101760-519	35.43	19	47.50	8123	274	11.88
0100-101759-520	0100-101761-520	0100-101760-520	35.43	20	50.00	8551	288	12.50
0100-101759-521	0100-101761-521	0100-101760-521	35.43	21	52.50	8978	303	13.13
0100-101759-522	0100-101761-522	0100-101760-522	35.43	22	55.00	9406	317	13.75
0100-101759-523	0100-101761-523	0100-101760-523	35.43	23	57.50	9833	331	14.38
0100-101759-524	0100-101761-524	0100-101760-524	35.43	24	60.00	10261	346	15.00
0100-101759-525	0100-101761-525	0100-101760-525	35.43	25	62.50	10689	360	15.63
0100-101759-526	0100-101761-526	0100-101760-526	35.43	26	65.00	11116	375	16.26
0100-101759-527	0100-101761-527	0100-101760-527	35.43	27	67.50	11544	389	16.88
0100-101759-528	0100-101761-528	0100-101760-528	35.43	28	70.00	11971	403	17.51
0100-101759-529	0100-101761-529	0100-101760-529	35.43	29	72.50	12399	418	18.13
0100-101759-530	0100-101761-530	0100-101760-530	35.43	30	75.00	12826	432	18.76
0100-101759-531	0100-101761-531	0100-101760-531	35.43	31	77.50	13254	447	19.38
0100-101759-532	0100-101761-532	0100-101760-532	35.43	32	80.00	13681	461	20.01
0100-101759-533	0100-101761-533	0100-101760-533	35.43	33	82.50	14109	476	20.63
0100-101759-534	0100-101761-534	0100-101760-534	35.43	34	85.00	14536	490	21.26
0100-101759-535	0100-101761-535	0100-101760-535	35.43	35	87.50	14964	504	21.88
0100-101759-536	0100-101761-536	0100-101760-536	35.43	36	90.00	15392	519	22.51
0100-100855-501	0100-100655-501	0100-101655-501	36.00	1	2.50	434	15	0.64
0100-100855-502	0100-100655-502	0100-101655-502	36.00	2	5.00	869	29	1.27
0100-100855-503	0100-100655-503	0100-101655-503	36.00	3	7.50	1303	44	1.91

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100855-504	0100-100655-504	0100-101655-504	36.00	4	10.00	1738	59	2.54
0100-100855-505	0100-100655-505	0100-101655-505	36.00	5	12.50	2172	73	3.18
0100-100855-506	0100-100655-506	0100-101655-506	36.00	6	15.00	2607	88	3.81
0100-100855-507	0100-100655-507	0100-101655-507	36.00	7	17.50	3041	102	4.45
0100-100855-508	0100-100655-508	0100-101655-508	36.00	8	20.00	3475	117	5.08
0100-100855-509	0100-100655-509	0100-101655-509	36.00	9	22.50	3910	132	5.72
0100-100855-510	0100-100655-510	0100-101655-510	36.00	10	25.00	4344	146	6.35
0100-100855-511	0100-100655-511	0100-101655-511	36.00	11	27.50	4779	161	6.99
0100-100855-512	0100-100655-512	0100-101655-512	36.00	12	30.00	5213	176	7.62
0100-100855-513	0100-100655-513	0100-101655-513	36.00	13	32.50	5647	190	8.26
0100-100855-514	0100-100655-514	0100-101655-514	36.00	14	35.00	6082	205	8.89
0100-100855-515	0100-100655-515	0100-101655-515	36.00	15	37.50	6516	220	9.53
0100-100855-516	0100-100655-516	0100-101655-516	36.00	16	40.00	6951	234	10.16
0100-100855-517	0100-100655-517	0100-101655-517	36.00	17	42.50	7385	249	10.80
0100-100855-518	0100-100655-518	0100-101655-518	36.00	18	45.00	7820	264	11.44
0100-100855-519	0100-100655-519	0100-101655-519	36.00	19	47.50	8254	278	12.07
0100-100855-520	0100-100655-520	0100-101655-520	36.00	20	50.00	8688	293	12.71
0100-100855-521	0100-100655-521	0100-101655-521	36.00	21	52.50	9123	307	13.34
0100-100855-522	0100-100655-522	0100-101655-522	36.00	22	55.00	9557	322	13.98
0100-100855-523	0100-100655-523	0100-101655-523	36.00	23	57.50	9992	337	14.61
0100-100855-524	0100-100655-524	0100-101655-524	36.00	24	60.00	10426	351	15.25
0100-100855-525	0100-100655-525	0100-101655-525	36.00	25	62.50	10861	366	15.88
0100-100855-601	0100-100655-601	0100-101655-601	42.00	1	2.50	507	17	0.74
0100-100855-602	0100-100655-602	0100-101655-602	42.00	2	5.00	1014	34	1.48
0100-100855-603	0100-100655-603	0100-101655-603	42.00	3	7.50	1520	51	2.22
0100-100855-604	0100-100655-604	0100-101655-604	42.00	4	10.00	2027	68	2.96
0100-100855-605	0100-100655-605	0100-101655-605	42.00	5	12.50	2534	85	3.71
0100-100855-606	0100-100655-606	0100-101655-606	42.00	6	15.00	3041	102	4.45
0100-100855-607	0100-100655-607	0100-101655-607	42.00	7	17.50	3548	120	5.19
0100-100855-608	0100-100655-608	0100-101655-608	42.00	8	20.00	4055	137	5.93
0100-100855-609	0100-100655-609	0100-101655-609	42.00	9	22.50	4561	154	6.67
0100-100855-610	0100-100655-610	0100-101655-610	42.00	10	25.00	5068	171	7.41
0100-100855-611	0100-100655-611	0100-101655-611	42.00	11	27.50	5575	188	8.15
0100-100855-612	0100-100655-612	0100-101655-612	42.00	12	30.00	6082	205	8.89
0100-100855-613	0100-100655-613	0100-101655-613	42.00	13	32.50	6589	222	9.64
0100-100855-614	0100-100655-614	0100-101655-614	42.00	14	35.00	7096	239	10.38
0100-100855-615	0100-100655-615	0100-101655-615	42.00	15	37.50	7602	256	11.12

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100855-616	0100-100655-616	0100-101655-616	42.00	16	40.00	8109	273	11.86
0100-100855-617	0100-100655-617	0100-101655-617	42.00	17	42.50	8616	290	12.60
0100-100855-618	0100-100655-618	0100-101655-618	42.00	18	45.00	9123	307	13.34
0100-100855-619	0100-100655-619	0100-101655-619	42.00	19	47.50	9630	325	14.08
0100-100855-620	0100-100655-620	0100-101655-620	42.00	20	50.00	10136	342	14.82
0100-100855-621	0100-100655-621	0100-101655-621	42.00	21	52.50	10643	359	15.57
0100-100855-622	0100-100655-622	0100-101655-622	42.00	22	55.00	11150	376	16.31
0100-100855-623	0100-100655-623	0100-101655-623	42.00	23	57.50	11657	393	17.05
0100-100855-624	0100-100655-624	0100-101655-624	42.00	24	60.00	12164	410	17.79
0100-100855-625	0100-100655-625	0100-101655-625	42.00	25	62.50	12671	427	18.53
0100-101759-601	0100-101761-601	0100-101760-601	43.31	1	2.50	523	18	0.76
0100-101759-602	0100-101761-602	0100-101760-602	43.31	2	5.00	1045	35	1.53
0100-101759-603	0100-101761-603	0100-101760-603	43.31	3	7.50	1568	53	2.29
0100-101759-604	0100-101761-604	0100-101760-604	43.31	4	10.00	2091	70	3.06
0100-101759-605	0100-101761-605	0100-101760-605	43.31	5	12.50	2613	88	3.82
0100-101759-606	0100-101761-606	0100-101760-606	43.31	6	15.00	3136	106	4.59
0100-101759-607	0100-101761-607	0100-101760-607	43.31	7	17.50	3658	123	5.35
0100-101759-608	0100-101761-608	0100-101760-608	43.31	8	20.00	4181	141	6.11
0100-101759-609	0100-101761-609	0100-101760-609	43.31	9	22.50	4704	159	6.88
0100-101759-610	0100-101761-610	0100-101760-610	43.31	10	25.00	5226	176	7.64
0100-101759-611	0100-101761-611	0100-101760-611	43.31	11	27.50	5749	194	8.41
0100-101759-612	0100-101761-612	0100-101760-612	43.31	12	30.00	6272	211	9.17
0100-101759-613	0100-101761-613	0100-101760-613	43.31	13	32.50	6794	229	9.94
0100-101759-614	0100-101761-614	0100-101760-614	43.31	14	35.00	7317	247	10.70
0100-101759-615	0100-101761-615	0100-101760-615	43.31	15	37.50	7839	264	11.46
0100-101759-616	0100-101761-616	0100-101760-616	43.31	16	40.00	8362	282	12.23
0100-101759-617	0100-101761-617	0100-101760-617	43.31	17	42.50	8885	299	12.99
0100-101759-618	0100-101761-618	0100-101760-618	43.31	18	45.00	9407	317	13.76
0100-101759-619	0100-101761-619	0100-101760-619	43.31	19	47.50	9930	335	14.52
0100-101759-620	0100-101761-620	0100-101760-620	43.31	20	50.00	10453	352	15.29
0100-101759-621	0100-101761-621	0100-101760-621	43.31	21	52.50	10975	370	16.05
0100-101759-622	0100-101761-622	0100-101760-622	43.31	22	55.00	11498	388	16.81
0100-101759-623	0100-101761-623	0100-101760-623	43.31	23	57.50	12021	405	17.58
0100-101759-624	0100-101761-624	0100-101760-624	43.31	24	60.00	12543	423	18.34
0100-101759-625	0100-101761-625	0100-101760-625	43.31	25	62.50	13066	440	19.11
0100-101759-626	0100-101761-626	0100-101760-626	43.31	26	65.00	13588	458	19.87
0100-101759-627	0100-101761-627	0100-101760-627	43.31	27	67.50	14111	476	20.64

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101759-628	0100-101761-628	0100-101760-628	43.31	28	70.00	14634	493	21.40
0100-101759-629	0100-101761-629	0100-101760-629	43.31	29	72.50	15156	511	22.16
0100-101759-630	0100-101761-630	0100-101760-630	43.31	30	75.00	15679	528	22.93
0100-101759-631	0100-101761-631	0100-101760-631	43.31	31	77.50	16202	546	23.69
0100-101759-632	0100-101761-632	0100-101760-632	43.31	32	80.00	16724	564	24.46
0100-101759-633	0100-101761-633	0100-101760-633	43.31	33	82.50	17247	581	25.22
0100-101759-634	0100-101761-634	0100-101760-634	43.31	34	85.00	17769	599	25.99
0100-101759-635	0100-101761-635	0100-101760-635	43.31	35	87.50	18292	617	26.75
0100-101759-636	0100-101761-636	0100-101760-636	43.31	36	90.00	18815	634	27.51
0100-100855-701	0100-100655-701	0100-101655-701	48.00	1	2.50	579	20	0.85
0100-100855-702	0100-100655-702	0100-101655-702	48.00	2	5.00	1158	39	1.69
0100-100855-703	0100-100655-703	0100-101655-703	48.00	3	7.50	1738	59	2.54
0100-100855-704	0100-100655-704	0100-101655-704	48.00	4	10.00	2317	78	3.39
0100-100855-705	0100-100655-705	0100-101655-705	48.00	5	12.50	2896	98	4.24
0100-100855-706	0100-100655-706	0100-101655-706	48.00	6	15.00	3475	117	5.08
0100-100855-707	0100-100655-707	0100-101655-707	48.00	7	17.50	4055	137	5.93
0100-100855-708	0100-100655-708	0100-101655-708	48.00	8	20.00	4634	156	6.78
0100-100855-709	0100-100655-709	0100-101655-709	48.00	9	22.50	5213	176	7.62
0100-100855-710	0100-100655-710	0100-101655-710	48.00	10	25.00	5792	195	8.47
0100-100855-711	0100-100655-711	0100-101655-711	48.00	11	27.50	6371	215	9.32
0100-100855-712	0100-100655-712	0100-101655-712	48.00	12	30.00	6951	234	10.17
0100-100855-713	0100-100655-713	0100-101655-713	48.00	13	32.50	7530	254	11.01
0100-100855-714	0100-100655-714	0100-101655-714	48.00	14	35.00	8109	273	11.86
0100-100855-715	0100-100655-715	0100-101655-715	48.00	15	37.50	8688	293	12.71
0100-100855-716	0100-100655-716	0100-101655-716	48.00	16	40.00	9268	312	13.55
0100-100855-717	0100-100655-717	0100-101655-717	48.00	17	42.50	9847	332	14.40
0100-100855-718	0100-100655-718	0100-101655-718	48.00	18	45.00	10426	351	15.25
0100-100855-719	0100-100655-719	0100-101655-719	48.00	19	47.50	11005	371	16.09
0100-100855-720	0100-100655-720	0100-101655-720	48.00	20	50.00	11585	390	16.94
0100-100855-721	0100-100655-721	0100-101655-721	48.00	21	52.50	12164	410	17.79
0100-100855-722	0100-100655-722	0100-101655-722	48.00	22	55.00	12743	429	18.64
0100-100855-723	0100-100655-723	0100-101655-723	48.00	23	57.50	13322	449	19.48
0100-100855-724	0100-100655-724	0100-101655-724	48.00	24	60.00	13901	469	20.33
0100-100855-725	0100-100655-725	0100-101655-725	48.00	25	62.50	14481	488	21.18
0100-100855-001	0100-100655-001	0100-101655-001	54.00	1	2.50	652	22	0.95
0100-100855-002	0100-100655-002	0100-101655-002	54.00	2	5.00	1303	44	1.91

TABLE 3: Ordering Information for Corrugated Radiators, 8" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100855-003	0100-100655-003	0100-101655-003	54.00	3	7.50	1955	66	2.86
0100-100855-004	0100-100655-004	0100-101655-004	54.00	4	10.00	2607	88	3.81
0100-100855-005	0100-100655-005	0100-101655-005	54.00	5	12.50	3258	110	4.77
0100-100855-006	0100-100655-006	0100-101655-006	54.00	6	15.00	3910	132	5.72
0100-100855-007	0100-100655-007	0100-101655-007	54.00	7	17.50	4561	154	6.67
0100-100855-008	0100-100655-008	0100-101655-008	54.00	8	20.00	5213	176	7.62
0100-100855-009	0100-100655-009	0100-101655-009	54.00	9	22.50	5865	198	8.58
0100-100855-010	0100-100655-010	0100-101655-010	54.00	10	25.00	6516	220	9.53
0100-100855-011	0100-100655-011	0100-101655-011	54.00	11	27.50	7168	242	10.48
0100-100855-012	0100-100655-012	0100-101655-012	54.00	12	30.00	7820	264	11.44
0100-100855-013	0100-100655-013	0100-101655-013	54.00	13	32.50	8471	286	12.39
0100-100855-014	0100-100655-014	0100-101655-014	54.00	14	35.00	9123	307	13.34
0100-100855-015	0100-100655-015	0100-101655-015	54.00	15	37.50	9774	329	14.30
0100-100855-016	0100-100655-016	0100-101655-016	54.00	16	40.00	10426	351	15.25
0100-100855-017	0100-100655-017	0100-101655-017	54.00	17	42.50	11078	373	16.20
0100-100855-018	0100-100655-018	0100-101655-018	54.00	18	45.00	11729	395	17.15
0100-100855-019	0100-100655-019	0100-101655-019	54.00	19	47.50	12381	417	18.11
0100-100855-020	0100-100655-020	0100-101655-020	54.00	20	50.00	13033	439	19.06
0100-100855-021	0100-100655-021	0100-101655-021	54.00	21	52.50	13684	461	20.01
0100-100855-022	0100-100655-022	0100-101655-022	54.00	22	55.00	14336	483	20.97
0100-100855-023	0100-100655-023	0100-101655-023	54.00	23	57.50	14987	505	21.92
0100-100855-024	0100-100655-024	0100-101655-024	54.00	24	60.00	15639	527	22.87
0100-100855-025	0100-100655-025	0100-101655-025	54.00	25	62.50	16291	549	23.83

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101756-101	0100-101758-101	0100-101757-101	15.75	1	2.50	234	8	0.35
0100-101756-102	0100-101758-102	0100-101757-102	15.75	2	5.00	468	16	0.69
0100-101756-103	0100-101758-103	0100-101757-103	15.75	3	7.50	703	24	1.04
0100-101756-104	0100-101758-104	0100-101757-104	15.75	4	10.00	937	31	1.39
0100-101756-105	0100-101758-105	0100-101757-105	15.75	5	12.50	1171	39	1.74
0100-101756-106	0100-101758-106	0100-101757-106	15.75	6	15.00	1405	47	2.08
0100-101756-107	0100-101758-107	0100-101757-107	15.75	7	17.50	1639	55	2.43
0100-101756-108	0100-101758-108	0100-101757-108	15.75	8	20.00	1874	63	2.78
0100-101756-109	0100-101758-109	0100-101757-109	15.75	9	22.50	2108	71	3.13
0100-101756-110	0100-101758-110	0100-101757-110	15.75	10	25.00	2342	78	3.47
0100-101756-111	0100-101758-111	0100-101757-111	15.75	11	27.50	2576	86	3.82
0100-101756-112	0100-101758-112	0100-101757-112	15.75	12	30.00	2811	94	4.17
0100-101756-113	0100-101758-113	0100-101757-113	15.75	13	32.50	3045	102	4.52
0100-101756-114	0100-101758-114	0100-101757-114	15.75	14	35.00	3279	110	4.86
0100-101756-115	0100-101758-115	0100-101757-115	15.75	15	37.50	3513	118	5.21
0100-101756-116	0100-101758-116	0100-101757-116	15.75	16	40.00	3747	125	5.56
0100-101756-117	0100-101758-117	0100-101757-117	15.75	17	42.50	3982	133	5.91
0100-101756-118	0100-101758-118	0100-101757-118	15.75	18	45.00	4216	141	6.25
0100-101756-119	0100-101758-119	0100-101757-119	15.75	19	47.50	4450	149	6.60
0100-101756-120	0100-101758-120	0100-101757-120	15.75	20	50.00	4684	157	6.95
0100-101756-121	0100-101758-121	0100-101757-121	15.75	21	52.50	4918	165	7.30
0100-101756-122	0100-101758-122	0100-101757-122	15.75	22	55.00	5153	172	7.64
0100-101756-123	0100-101758-123	0100-101757-123	15.75	23	57.50	5387	180	7.99
0100-101756-124	0100-101758-124	0100-101757-124	15.75	24	60.00	5621	188	8.34
0100-101756-125	0100-101758-125	0100-101757-125	15.75	25	62.50	5855	196	8.69
0100-101756-126	0100-101758-126	0100-101757-126	15.75	26	65.00	6090	204	9.03
0100-101756-127	0100-101758-127	0100-101757-127	15.75	27	67.50	6324	212	9.38
0100-101756-128	0100-101758-128	0100-101757-128	15.75	28	70.00	6558	219	9.73
0100-101756-129	0100-101758-129	0100-101757-129	15.75	29	72.50	6792	227	10.07
0100-101756-130	0100-101758-130	0100-101757-130	15.75	30	75.00	7026	235	10.42
0100-101756-131	0100-101758-131	0100-101757-131	15.75	31	77.50	7261	243	10.77
0100-101756-132	0100-101758-132	0100-101757-132	15.75	32	80.00	7495	251	11.12
0100-101756-133	0100-101758-133	0100-101757-133	15.75	33	82.50	7729	259	11.46
0100-101756-134	0100-101758-134	0100-101757-134	15.75	34	85.00	7963	267	11.81
0100-101756-135	0100-101758-135	0100-101757-135	15.75	35	87.50	8197	274	12.16
0100-101756-136	0100-101758-136	0100-101757-136	15.75	36	90.00	8432	282	12.51

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100858-101	0100-100658-101	0100-101658-101	17.00	1	2.50	253	8	0.37
0100-100858-102	0100-100658-102	0100-101658-102	17.00	2	5.00	506	17	0.75
0100-100858-103	0100-100658-103	0100-101658-103	17.00	3	7.50	758	25	1.12
0100-100858-104	0100-100658-104	0100-101658-104	17.00	4	10.00	1011	34	1.50
0100-100858-105	0100-100658-105	0100-101658-105	17.00	5	12.50	1264	42	1.87
0100-100858-106	0100-100658-106	0100-101658-106	17.00	6	15.00	1517	51	2.24
0100-100858-107	0100-100658-107	0100-101658-107	17.00	7	17.50	1770	59	2.62
0100-100858-108	0100-100658-108	0100-101658-108	17.00	8	20.00	2022	68	2.99
0100-100858-109	0100-100658-109	0100-101658-109	17.00	9	22.50	2275	76	3.37
0100-100858-110	0100-100658-110	0100-101658-110	17.00	10	25.00	2528	85	3.74
0100-100858-111	0100-100658-111	0100-101658-111	17.00	11	27.50	2781	93	4.12
0100-100858-112	0100-100658-112	0100-101658-112	17.00	12	30.00	3034	102	4.49
0100-100858-113	0100-100658-113	0100-101658-113	17.00	13	32.50	3286	110	4.86
0100-100858-114	0100-100658-114	0100-101658-114	17.00	14	35.00	3539	118	5.24
0100-100858-115	0100-100658-115	0100-101658-115	17.00	15	37.50	3792	127	5.61
0100-100858-116	0100-100658-116	0100-101658-116	17.00	16	40.00	4045	135	5.99
0100-100858-117	0100-100658-117	0100-101658-117	17.00	17	42.50	4298	144	6.36
0100-100858-118	0100-100658-118	0100-101658-118	17.00	18	45.00	4550	152	6.73
0100-100858-119	0100-100658-119	0100-101658-119	17.00	19	47.50	4803	161	7.11
0100-100858-120	0100-100658-120	0100-101658-120	17.00	20	50.00	5056	169	7.48
0100-100858-121	0100-100658-121	0100-101658-121	17.00	21	52.50	5309	178	7.86
0100-100858-122	0100-100658-122	0100-101658-122	17.00	22	55.00	5562	186	8.23
0100-100858-123	0100-100658-123	0100-101658-123	17.00	23	57.50	5814	195	8.60
0100-100858-124	0100-100658-124	0100-101658-124	17.00	24	60.00	6067	203	8.98
0100-100858-125	0100-100658-125	0100-101658-125	17.00	25	62.50	6320	212	9.35
0100-100858-201	0100-100658-201	0100-101658-201	20.00	1	2.50	300	10	0.41
0100-100858-202	0100-100658-202	0100-101658-202	20.00	2	5.00	600	20	0.82
0100-100858-203	0100-100658-203	0100-101658-203	20.00	3	7.50	901	30	1.23
0100-100858-204	0100-100658-204	0100-101658-204	20.00	4	10.00	1201	40	1.64
0100-100858-205	0100-100658-205	0100-101658-205	20.00	5	12.50	1501	50	2.06
0100-100858-206	0100-100658-206	0100-101658-206	20.00	6	15.00	1801	60	2.47
0100-100858-207	0100-100658-207	0100-101658-207	20.00	7	17.50	2101	70	2.88
0100-100858-208	0100-100658-208	0100-101658-208	20.00	8	20.00	2402	80	3.29
0100-100858-209	0100-100658-209	0100-101658-209	20.00	9	22.50	2702	90	3.70
0100-100858-210	0100-100658-210	0100-101658-210	20.00	10	25.00	3002	100	4.11
0100-100858-211	0100-100658-211	0100-101658-211	20.00	11	27.50	3302	109	4.52

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100858-212	0100-100658-212	0100-101658-212	20.00	12	30.00	3602	119	4.93
0100-100858-213	0100-100658-213	0100-101658-213	20.00	13	32.50	3903	129	5.34
0100-100858-214	0100-100658-214	0100-101658-214	20.00	14	35.00	4203	139	5.75
0100-100858-215	0100-100658-215	0100-101658-215	20.00	15	37.50	4503	149	6.17
0100-100858-216	0100-100658-216	0100-101658-216	20.00	16	40.00	4803	159	6.58
0100-100858-217	0100-100658-217	0100-101658-217	20.00	17	42.50	5103	169	6.99
0100-100858-218	0100-100658-218	0100-101658-218	20.00	18	45.00	5404	179	7.40
0100-100858-219	0100-100658-219	0100-101658-219	20.00	19	47.50	5704	189	7.81
0100-100858-220	0100-100658-220	0100-101658-220	20.00	20	50.00	6004	199	8.22
0100-100858-221	0100-100658-221	0100-101658-221	20.00	21	52.50	6304	209	8.63
0100-100858-222	0100-100658-222	0100-101658-222	20.00	22	55.00	6604	219	9.04
0100-100858-223	0100-100658-223	0100-101658-223	20.00	23	57.50	6905	229	9.45
0100-100858-224	0100-100658-224	0100-101658-224	20.00	24	60.00	7205	239	9.86
0100-100858-225	0100-100658-225	0100-101658-225	20.00	25	62.50	7505	249	10.28
0100-101756-301	0100-101758-301	0100-101757-301	23.62	1	2.50	362	12	0.52
0100-101756-302	0100-101758-302	0100-101757-302	23.62	2	5.00	723	24	1.03
0100-101756-303	0100-101758-303	0100-101757-303	23.62	3	7.50	1085	35	1.55
0100-101756-304	0100-101758-304	0100-101757-304	23.62	4	10.00	1447	47	2.06
0100-101756-305	0100-101758-305	0100-101757-305	23.62	5	12.50	1808	59	2.58
0100-101756-306	0100-101758-306	0100-101757-306	23.62	6	15.00	2170	71	3.10
0100-101756-307	0100-101758-307	0100-101757-307	23.62	7	17.50	2532	82	3.61
0100-101756-308	0100-101758-308	0100-101757-308	23.62	8	20.00	2893	94	4.13
0100-101756-309	0100-101758-309	0100-101757-309	23.62	9	22.50	3255	106	4.65
0100-101756-310	0100-101758-310	0100-101757-310	23.62	10	25.00	3617	118	5.16
0100-101756-311	0100-101758-311	0100-101757-311	23.62	11	27.50	3978	129	5.68
0100-101756-312	0100-101758-312	0100-101757-312	23.62	12	30.00	4340	141	6.19
0100-101756-313	0100-101758-313	0100-101757-313	23.62	13	32.50	4702	153	6.71
0100-101756-314	0100-101758-314	0100-101757-314	23.62	14	35.00	5063	165	7.23
0100-101756-315	0100-101758-315	0100-101757-315	23.62	15	37.50	5425	176	7.74
0100-101756-316	0100-101758-316	0100-101757-316	23.62	16	40.00	5786	188	8.26
0100-101756-317	0100-101758-317	0100-101757-317	23.62	17	42.50	6148	200	8.78
0100-101756-318	0100-101758-318	0100-101757-318	23.62	18	45.00	6510	212	9.29
0100-101756-319	0100-101758-319	0100-101757-319	23.62	19	47.50	6871	223	9.81
0100-101756-320	0100-101758-320	0100-101757-320	23.62	20	50.00	7233	235	10.32
0100-101756-321	0100-101758-321	0100-101757-321	23.62	21	52.50	7595	247	10.84
0100-101756-322	0100-101758-322	0100-101757-322	23.62	22	55.00	7956	259	11.36

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101756-323	0100-101758-323	0100-101757-323	23.62	23	57.50	8318	270	11.87
0100-101756-324	0100-101758-324	0100-101757-324	23.62	24	60.00	8680	282	12.39
0100-101756-325	0100-101758-325	0100-101757-325	23.62	25	62.50	9041	294	12.91
0100-101756-326	0100-101758-326	0100-101757-326	23.62	26	65.00	9403	306	13.42
0100-101756-327	0100-101758-327	0100-101757-327	23.62	27	67.50	9765	317	13.94
0100-101756-328	0100-101758-328	0100-101757-328	23.62	28	70.00	10126	329	14.45
0100-101756-329	0100-101758-329	0100-101757-329	23.62	29	72.50	10488	341	14.97
0100-101756-330	0100-101758-330	0100-101757-330	23.62	30	75.00	10850	353	15.49
0100-101756-331	0100-101758-331	0100-101757-331	23.62	31	77.50	11211	364	16.00
0100-101756-332	0100-101758-332	0100-101757-332	23.62	32	80.00	11573	376	16.52
0100-101756-333	0100-101758-333	0100-101757-333	23.62	33	82.50	11935	388	17.03
0100-101756-334	0100-101758-334	0100-101757-334	23.62	34	85.00	12296	400	17.55
0100-101756-335	0100-101758-335	0100-101757-335	23.62	35	87.50	12658	411	18.07
0100-101756-336	0100-101758-336	0100-101757-336	23.62	36	90.00	13020	423	18.58
0100-100858-301	0100-100658-301	0100-101658-301	24.25	1	2.50	371	12	0.53
0100-100858-302	0100-100658-302	0100-101658-302	24.25	2	5.00	743	24	1.06
0100-100858-303	0100-100658-303	0100-101658-303	24.25	3	7.50	1114	36	1.59
0100-100858-304	0100-100658-304	0100-101658-304	24.25	4	10.00	1485	48	2.12
0100-100858-305	0100-100658-305	0100-101658-305	24.25	5	12.50	1857	60	2.65
0100-100858-306	0100-100658-306	0100-101658-306	24.25	6	15.00	2228	72	3.18
0100-100858-307	0100-100658-307	0100-101658-307	24.25	7	17.50	2599	84	3.71
0100-100858-308	0100-100658-308	0100-101658-308	24.25	8	20.00	2970	97	4.24
0100-100858-309	0100-100658-309	0100-101658-309	24.25	9	22.50	3342	109	4.77
0100-100858-310	0100-100658-310	0100-101658-310	24.25	10	25.00	3713	121	5.30
0100-100858-311	0100-100658-311	0100-101658-311	24.25	11	27.50	4084	133	5.83
0100-100858-312	0100-100658-312	0100-101658-312	24.25	12	30.00	4456	145	6.36
0100-100858-313	0100-100658-313	0100-101658-313	24.25	13	32.50	4827	157	6.89
0100-100858-314	0100-100658-314	0100-101658-314	24.25	14	35.00	5198	169	7.42
0100-100858-315	0100-100658-315	0100-101658-315	24.25	15	37.50	5570	181	7.95
0100-100858-316	0100-100658-316	0100-101658-316	24.25	16	40.00	5941	193	8.48
0100-100858-317	0100-100658-317	0100-101658-317	24.25	17	42.50	6312	205	9.01
0100-100858-318	0100-100658-318	0100-101658-318	24.25	18	45.00	6683	217	9.54
0100-100858-319	0100-100658-319	0100-101658-319	24.25	19	47.50	7055	229	10.07
0100-100858-320	0100-100658-320	0100-101658-320	24.25	20	50.00	7426	241	10.60
0100-100858-321	0100-100658-321	0100-101658-321	24.25	21	52.50	7797	253	11.13
0100-100858-322	0100-100658-322	0100-101658-322	24.25	22	55.00	8169	266	11.66

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100858-323	0100-100658-323	0100-101658-323	24.25	23	57.50	8540	278	12.19
0100-100858-324	0100-100658-324	0100-101658-324	24.25	24	60.00	8911	290	12.72
0100-100858-325	0100-100658-325	0100-101658-325	24.25	25	62.50	9283	302	13.25
0100-100858-801	0100-100658-801	0100-101658-801	26.00	1	2.50	398	13	0.57
0100-100858-802	0100-100658-802	0100-101658-802	26.00	2	5.00	796	26	1.14
0100-100858-803	0100-100658-803	0100-101658-803	26.00	3	7.50	1194	39	1.70
0100-100858-804	0100-100658-804	0100-101658-804	26.00	4	10.00	1592	52	2.27
0100-100858-805	0100-100658-805	0100-101658-805	26.00	5	12.50	1990	65	2.84
0100-100858-806	0100-100658-806	0100-101658-806	26.00	6	15.00	2389	78	3.41
0100-100858-807	0100-100658-807	0100-101658-807	26.00	7	17.50	2787	91	3.98
0100-100858-808	0100-100658-808	0100-101658-808	26.00	8	20.00	3185	104	4.55
0100-100858-809	0100-100658-809	0100-101658-809	26.00	9	22.50	3583	116	5.11
0100-100858-810	0100-100658-810	0100-101658-810	26.00	10	25.00	3981	129	5.68
0100-100858-811	0100-100658-811	0100-101658-811	26.00	11	27.50	4379	142	6.25
0100-100858-812	0100-100658-812	0100-101658-812	26.00	12	30.00	4777	155	6.82
0100-100858-813	0100-100658-813	0100-101658-813	26.00	13	32.50	5175	168	7.39
0100-100858-814	0100-100658-814	0100-101658-814	26.00	14	35.00	5573	181	7.95
0100-100858-815	0100-100658-815	0100-101658-815	26.00	15	37.50	5971	194	8.52
0100-100858-816	0100-100658-816	0100-101658-816	26.00	16	40.00	6370	207	9.09
0100-100858-817	0100-100658-817	0100-101658-817	26.00	17	42.50	6768	220	9.66
0100-100858-818	0100-100658-818	0100-101658-818	26.00	18	45.00	7166	233	10.23
0100-100858-819	0100-100658-819	0100-101658-819	26.00	19	47.50	7564	246	10.80
0100-100858-820	0100-100658-820	0100-101658-820	26.00	20	50.00	7962	259	11.36
0100-100858-821	0100-100658-821	0100-101658-821	26.00	21	52.50	8360	272	11.93
0100-100858-822	0100-100658-822	0100-101658-822	26.00	22	55.00	8758	285	12.50
0100-100858-823	0100-100658-823	0100-101658-823	26.00	23	57.50	9156	298	13.07
0100-100858-824	0100-100658-824	0100-101658-824	26.00	24	60.00	9554	311	13.64
0100-100858-825	0100-100658-825	0100-101658-825	26.00	25	62.50	9952	324	14.21
0100-100668-801	0100-100669-801	0100-100670-801	27.60	1	2.50	417	6	0.21
0100-100668-802	0100-100669-802	0100-100670-802	27.60	2	5.00	833	11	0.42
0100-100668-803	0100-100669-803	0100-100670-803	27.60	3	7.50	1250	17	0.64
0100-100668-804	0100-100669-804	0100-100670-804	27.60	4	10.00	1666	22	0.85
0100-100668-805	0100-100669-805	0100-100670-805	27.60	5	12.50	2083	28	1.06
0100-100668-806	0100-100669-806	0100-100670-806	27.60	6	15.00	2499	33	1.27
0100-100668-807	0100-100669-807	0100-100670-807	27.60	7	17.50	2916	39	1.49
0100-100668-808	0100-100669-808	0100-100670-808	27.60	8	20.00	3332	45	1.70

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100668-809	0100-100669-809	0100-100670-809	27.60	9	22.50	3749	50	1.91
0100-100668-810	0100-100669-810	0100-100670-810	27.60	10	25.00	4166	56	2.12
0100-100668-811	0100-100669-811	0100-100670-811	27.60	11	27.50	4582	61	2.34
0100-100668-812	0100-100669-812	0100-100670-812	27.60	12	30.00	4999	67	2.55
0100-100668-813	0100-100669-813	0100-100670-813	27.60	13	32.50	5415	72	2.76
0100-100668-814	0100-100669-814	0100-100670-814	27.60	14	35.00	5832	78	2.97
0100-100668-815	0100-100669-815	0100-100670-815	27.60	15	37.50	6248	84	3.19
0100-100668-816	0100-100669-816	0100-100670-816	27.60	16	40.00	6665	89	3.40
0100-100668-817	0100-100669-817	0100-100670-817	27.60	17	42.50	7081	95	3.61
0100-100668-818	0100-100669-818	0100-100670-818	27.60	18	45.00	7498	100	3.82
0100-100668-819	0100-100669-819	0100-100670-819	27.60	19	47.50	7914	106	4.04
0100-100668-820	0100-100669-820	0100-100670-820	27.60	20	50.00	8331	111	4.25
0100-100668-821	0100-100669-821	0100-100670-821	27.60	21	52.50	8748	117	4.46
0100-100668-822	0100-100669-822	0100-100670-822	27.60	22	55.00	9164	123	4.67
0100-100668-823	0100-100669-823	0100-100670-823	27.60	23	57.50	9581	128	4.89
0100-100668-824	0100-100669-824	0100-100670-824	27.60	24	60.00	9997	134	5.10
0100-100668-825	0100-100669-825	0100-100670-825	27.60	25	62.50	10414	139	5.31
0100-100668-826	0100-100669-826	0100-100670-826	27.60	26	65.00	10830	145	5.52
0100-100668-827	0100-100669-827	0100-100670-827	27.60	27	67.50	11247	150	5.73
0100-100668-828	0100-100669-828	0100-100670-828	27.60	28	70.00	11663	156	5.95
0100-100668-829	0100-100669-829	0100-100670-829	27.60	29	72.50	12080	162	6.16
0100-100668-830	0100-100669-830	0100-100670-830	27.60	30	75.00	12497	167	6.37
0100-100668-831	0100-100669-831	0100-100670-831	27.60	31	77.50	12913	173	6.58
0100-100668-832	0100-100669-832	0100-100670-832	27.60	32	80.00	13330	178	6.80
0100-100668-833	0100-100669-833	0100-100670-833	27.60	33	82.50	13746	184	7.01
0100-100668-834	0100-100669-834	0100-100670-834	27.60	34	85.00	14163	189	7.22
0100-100668-835	0100-100669-835	0100-100670-835	27.60	35	87.50	14579	195	7.43
0100-100668-836	0100-100669-836	0100-100670-836	27.60	36	90.00	14996	201	7.65
0100-101756-401	0100-101758-401	0100-101757-401	29.53	1	2.50	446	15	0.65
0100-101756-402	0100-101758-402	0100-101757-402	29.53	2	5.00	891	29	1.30
0100-101756-403	0100-101758-403	0100-101757-403	29.53	3	7.50	1337	44	1.95
0100-101756-404	0100-101758-404	0100-101757-404	29.53	4	10.00	1783	59	2.60
0100-101756-405	0100-101758-405	0100-101757-405	29.53	5	12.50	2228	73	3.26
0100-101756-406	0100-101758-406	0100-101757-406	29.53	6	15.00	2674	88	3.91
0100-101756-407	0100-101758-407	0100-101757-407	29.53	7	17.50	3120	103	4.56
0100-101756-408	0100-101758-408	0100-101757-408	29.53	8	20.00	3565	118	5.21

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101756-409	0100-101758-409	0100-101757-409	29.53	9	22.50	4011	132	5.86
0100-101756-410	0100-101758-410	0100-101757-410	29.53	10	25.00	4457	147	6.51
0100-101756-411	0100-101758-411	0100-101757-411	29.53	11	27.50	4902	162	7.16
0100-101756-412	0100-101758-412	0100-101757-412	29.53	12	30.00	5348	176	7.81
0100-101756-413	0100-101758-413	0100-101757-413	29.53	13	32.50	5794	191	8.46
0100-101756-414	0100-101758-414	0100-101757-414	29.53	14	35.00	6240	206	9.12
0100-101756-415	0100-101758-415	0100-101757-415	29.53	15	37.50	6685	220	9.77
0100-101756-416	0100-101758-416	0100-101757-416	29.53	16	40.00	7131	235	10.42
0100-101756-417	0100-101758-417	0100-101757-417	29.53	17	42.50	7577	250	11.07
0100-101756-418	0100-101758-418	0100-101757-418	29.53	18	45.00	8022	265	11.72
0100-101756-419	0100-101758-419	0100-101757-419	29.53	19	47.50	8468	279	12.37
0100-101756-420	0100-101758-420	0100-101757-420	29.53	20	50.00	8914	294	13.02
0100-101756-421	0100-101758-421	0100-101757-421	29.53	21	52.50	9359	309	13.67
0100-101756-422	0100-101758-422	0100-101757-422	29.53	22	55.00	9805	323	14.32
0100-101756-423	0100-101758-423	0100-101757-423	29.53	23	57.50	10251	338	14.98
0100-101756-424	0100-101758-424	0100-101757-424	29.53	24	60.00	10696	353	15.63
0100-101756-425	0100-101758-425	0100-101757-425	29.53	25	62.50	11142	367	16.28
0100-101756-426	0100-101758-426	0100-101757-426	29.53	26	65.00	11588	382	16.93
0100-101756-427	0100-101758-427	0100-101757-427	29.53	27	67.50	12033	397	17.58
0100-101756-428	0100-101758-428	0100-101757-428	29.53	28	70.00	12479	412	18.23
0100-101756-429	0100-101758-429	0100-101757-429	29.53	29	72.50	12925	426	18.88
0100-101756-430	0100-101758-430	0100-101757-430	29.53	30	75.00	13370	441	19.53
0100-101756-431	0100-101758-431	0100-101757-431	29.53	31	77.50	13816	456	20.18
0100-101756-432	0100-101758-432	0100-101757-432	29.53	32	80.00	14262	470	20.84
0100-101756-433	0100-101758-433	0100-101757-433	29.53	33	82.50	14707	485	21.49
0100-101756-434	0100-101758-434	0100-101757-434	29.53	34	85.00	15153	500	22.14
0100-101756-435	0100-101758-435	0100-101757-435	29.53	35	87.50	15599	514	22.79
0100-101756-436	0100-101758-436	0100-101757-436	29.53	36	90.00	16044	529	23.44
0100-100858-401	0100-100658-401	0100-101658-401	29.75	1	2.50	449	15	0.66
0100-100858-402	0100-100658-402	0100-101658-402	29.75	2	5.00	898	30	1.31
0100-100858-403	0100-100658-403	0100-101658-403	29.75	3	7.50	1347	44	1.97
0100-100858-404	0100-100658-404	0100-101658-404	29.75	4	10.00	1796	59	2.62
0100-100858-405	0100-100658-405	0100-101658-405	29.75	5	12.50	2245	74	3.28
0100-100858-406	0100-100658-406	0100-101658-406	29.75	6	15.00	2694	89	3.94
0100-100858-407	0100-100658-407	0100-101658-407	29.75	7	17.50	3143	104	4.59
0100-100858-408	0100-100658-408	0100-101658-408	29.75	8	20.00	3592	118	5.25

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100858-409	0100-100658-409	0100-101658-409	29.75	9	22.50	4041	133	5.90
0100-100858-410	0100-100658-410	0100-101658-410	29.75	10	25.00	4490	148	6.56
0100-100858-411	0100-100658-411	0100-101658-411	29.75	11	27.50	4939	163	7.22
0100-100858-412	0100-100658-412	0100-101658-412	29.75	12	30.00	5388	178	7.87
0100-100858-413	0100-100658-413	0100-101658-413	29.75	13	32.50	5837	192	8.53
0100-100858-414	0100-100658-414	0100-101658-414	29.75	14	35.00	6286	207	9.18
0100-100858-415	0100-100658-415	0100-101658-415	29.75	15	37.50	6735	222	9.84
0100-100858-416	0100-100658-416	0100-101658-416	29.75	16	40.00	7184	237	10.50
0100-100858-417	0100-100658-417	0100-101658-417	29.75	17	42.50	7633	252	11.15
0100-100858-418	0100-100658-418	0100-101658-418	29.75	18	45.00	8082	267	11.81
0100-100858-419	0100-100658-419	0100-101658-419	29.75	19	47.50	8531	281	12.46
0100-100858-420	0100-100658-420	0100-101658-420	29.75	20	50.00	8980	296	13.12
0100-100858-421	0100-100658-421	0100-101658-421	29.75	21	52.50	9429	311	13.78
0100-100858-422	0100-100658-422	0100-101658-422	29.75	22	55.00	9878	326	14.43
0100-100858-423	0100-100658-423	0100-101658-423	29.75	23	57.50	10327	341	15.09
0100-100858-424	0100-100658-424	0100-101658-424	29.75	24	60.00	10776	355	15.74
0100-100858-425	0100-100658-425	0100-101658-425	29.75	25	62.50	11225	370	16.40
0100-100858-901	0100-100658-901	0100-101658-901	32.25	1	2.50	487	16	0.71
0100-100858-902	0100-100658-902	0100-101658-902	32.25	2	5.00	973	32	1.42
0100-100858-903	0100-100658-903	0100-101658-903	32.25	3	7.50	1460	48	2.13
0100-100858-904	0100-100658-904	0100-101658-904	32.25	4	10.00	1947	64	2.84
0100-100858-905	0100-100658-905	0100-101658-905	32.25	5	12.50	2434	80	3.56
0100-100858-906	0100-100658-906	0100-101658-906	32.25	6	15.00	2920	96	4.27
0100-100858-907	0100-100658-907	0100-101658-907	32.25	7	17.50	3407	112	4.98
0100-100858-908	0100-100658-908	0100-101658-908	32.25	8	20.00	3894	128	5.69
0100-100858-909	0100-100658-909	0100-101658-909	32.25	9	22.50	4381	144	6.40
0100-100858-910	0100-100658-910	0100-101658-910	32.25	10	25.00	4867	161	7.11
0100-100858-911	0100-100658-911	0100-101658-911	32.25	11	27.50	5354	177	7.82
0100-100858-912	0100-100658-912	0100-101658-912	32.25	12	30.00	5841	193	8.53
0100-100858-913	0100-100658-913	0100-101658-913	32.25	13	32.50	6328	209	9.24
0100-100858-914	0100-100658-914	0100-101658-914	32.25	14	35.00	6814	225	9.96
0100-100858-915	0100-100658-915	0100-101658-915	32.25	15	37.50	7301	241	10.67
0100-100858-916	0100-100658-916	0100-101658-916	32.25	16	40.00	7788	257	11.38
0100-100858-917	0100-100658-917	0100-101658-917	32.25	17	42.50	8274	273	12.09
0100-100858-918	0100-100658-918	0100-101658-918	32.25	18	45.00	8761	289	12.80
0100-100858-919	0100-100658-919	0100-101658-919	32.25	19	47.50	9248	305	13.51

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100858-920	0100-100658-920	0100-101658-920	32.25	20	50.00	9735	321	14.22
0100-100858-921	0100-100658-921	0100-101658-921	32.25	21	52.50	10221	337	14.93
0100-100858-922	0100-100658-922	0100-101658-922	32.25	22	55.00	10708	353	15.64
0100-100858-923	0100-100658-923	0100-101658-923	32.25	23	57.50	11195	369	16.36
0100-100858-924	0100-100658-924	0100-101658-924	32.25	24	60.00	11682	385	17.07
0100-100858-925	0100-100658-925	0100-101658-925	32.25	25	62.50	12168	401	17.78
0100-101756-501	0100-101758-501	0100-101757-501	35.43	1	2.50	535	18	0.78
0100-101756-502	0100-101758-502	0100-101757-502	35.43	2	5.00	1069	35	1.56
0100-101756-503	0100-101758-503	0100-101757-503	35.43	3	7.50	1604	53	2.34
0100-101756-504	0100-101758-504	0100-101757-504	35.43	4	10.00	2139	71	3.12
0100-101756-505	0100-101758-505	0100-101757-505	35.43	5	12.50	2674	88	3.91
0100-101756-506	0100-101758-506	0100-101757-506	35.43	6	15.00	3208	106	4.69
0100-101756-507	0100-101758-507	0100-101757-507	35.43	7	17.50	3743	123	5.47
0100-101756-508	0100-101758-508	0100-101757-508	35.43	8	20.00	4278	141	6.25
0100-101756-509	0100-101758-509	0100-101757-509	35.43	9	22.50	4813	159	7.03
0100-101756-510	0100-101758-510	0100-101757-510	35.43	10	25.00	5347	176	7.81
0100-101756-511	0100-101758-511	0100-101757-511	35.43	11	27.50	5882	194	8.59
0100-101756-512	0100-101758-512	0100-101757-512	35.43	12	30.00	6417	212	9.37
0100-101756-513	0100-101758-513	0100-101757-513	35.43	13	32.50	6951	229	10.16
0100-101756-514	0100-101758-514	0100-101757-514	35.43	14	35.00	7486	247	10.94
0100-101756-515	0100-101758-515	0100-101757-515	35.43	15	37.50	8021	265	11.72
0100-101756-516	0100-101758-516	0100-101757-516	35.43	16	40.00	8556	282	12.50
0100-101756-517	0100-101758-517	0100-101757-517	35.43	17	42.50	9090	300	13.28
0100-101756-518	0100-101758-518	0100-101757-518	35.43	18	45.00	9625	317	14.06
0100-101756-519	0100-101758-519	0100-101757-519	35.43	19	47.50	10160	335	14.84
0100-101756-520	0100-101758-520	0100-101757-520	35.43	20	50.00	10695	353	15.62
0100-101756-521	0100-101758-521	0100-101757-521	35.43	21	52.50	11229	370	16.41
0100-101756-522	0100-101758-522	0100-101757-522	35.43	22	55.00	11764	388	17.19
0100-101756-523	0100-101758-523	0100-101757-523	35.43	23	57.50	12299	406	17.97
0100-101756-524	0100-101758-524	0100-101757-524	35.43	24	60.00	12833	423	18.75
0100-101756-525	0100-101758-525	0100-101757-525	35.43	25	62.50	13368	441	19.53
0100-101756-526	0100-101758-526	0100-101757-526	35.43	26	65.00	13903	458	20.31
0100-101756-527	0100-101758-527	0100-101757-527	35.43	27	67.50	14438	476	21.09
0100-101756-528	0100-101758-528	0100-101757-528	35.43	28	70.00	14972	494	21.87
0100-101756-529	0100-101758-529	0100-101757-529	35.43	29	72.50	15507	511	22.65
0100-101756-530	0100-101758-530	0100-101757-530	35.43	30	75.00	16042	529	23.44

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101756-531	0100-101758-531	0100-101757-531	35.43	31	77.50	16576	547	24.22
0100-101756-532	0100-101758-532	0100-101757-532	35.43	32	80.00	17111	564	25.00
0100-101756-533	0100-101758-533	0100-101757-533	35.43	33	82.50	17646	582	25.78
0100-101756-534	0100-101758-534	0100-101757-534	35.43	34	85.00	18181	600	26.56
0100-101756-535	0100-101758-535	0100-101757-535	35.43	35	87.50	18715	617	27.34
0100-101756-536	0100-101758-536	0100-101757-536	35.43	36	90.00	19250	635	28.12
0100-100858-501	0100-100658-501	0100-101658-501	36.00	1	2.50	543	18	0.79
0100-100858-502	0100-100658-502	0100-101658-502	36.00	2	5.00	1087	36	1.59
0100-100858-503	0100-100658-503	0100-101658-503	36.00	3	7.50	1630	54	2.38
0100-100858-504	0100-100658-504	0100-101658-504	36.00	4	10.00	2173	72	3.18
0100-100858-505	0100-100658-505	0100-101658-505	36.00	5	12.50	2717	90	3.97
0100-100858-506	0100-100658-506	0100-101658-506	36.00	6	15.00	3260	108	4.76
0100-100858-507	0100-100658-507	0100-101658-507	36.00	7	17.50	3803	125	5.56
0100-100858-508	0100-100658-508	0100-101658-508	36.00	8	20.00	4347	143	6.35
0100-100858-509	0100-100658-509	0100-101658-509	36.00	9	22.50	4890	161	7.14
0100-100858-510	0100-100658-510	0100-101658-510	36.00	10	25.00	5433	179	7.94
0100-100858-511	0100-100658-511	0100-101658-511	36.00	11	27.50	5977	197	8.73
0100-100858-512	0100-100658-512	0100-101658-512	36.00	12	30.00	6520	215	9.53
0100-100858-513	0100-100658-513	0100-101658-513	36.00	13	32.50	7063	233	10.32
0100-100858-514	0100-100658-514	0100-101658-514	36.00	14	35.00	7607	251	11.11
0100-100858-515	0100-100658-515	0100-101658-515	36.00	15	37.50	8150	269	11.91
0100-100858-516	0100-100658-516	0100-101658-516	36.00	16	40.00	8693	287	12.70
0100-100858-517	0100-100658-517	0100-101658-517	36.00	17	42.50	9237	305	13.49
0100-100858-518	0100-100658-518	0100-101658-518	36.00	18	45.00	9780	323	14.29
0100-100858-519	0100-100658-519	0100-101658-519	36.00	19	47.50	10323	340	15.08
0100-100858-520	0100-100658-520	0100-101658-520	36.00	20	50.00	10867	358	15.88
0100-100858-521	0100-100658-521	0100-101658-521	36.00	21	52.50	11410	376	16.67
0100-100858-522	0100-100658-522	0100-101658-522	36.00	22	55.00	11953	394	17.46
0100-100858-523	0100-100658-523	0100-101658-523	36.00	23	57.50	12497	412	18.26
0100-100858-524	0100-100658-524	0100-101658-524	36.00	24	60.00	13040	430	19.05
0100-100858-525	0100-100658-525	0100-101658-525	36.00	25	62.50	13583	448	19.85
0100-100858-601	0100-100658-601	0100-101658-601	42.00	1	2.50	634	21	0.93
0100-100858-602	0100-100658-602	0100-101658-602	42.00	2	5.00	1268	42	1.85
0100-100858-603	0100-100658-603	0100-101658-603	42.00	3	7.50	1902	63	2.78
0100-100858-604	0100-100658-604	0100-101658-604	42.00	4	10.00	2536	84	3.70
0100-100858-605	0100-100658-605	0100-101658-605	42.00	5	12.50	3169	105	4.63

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100858-606	0100-100658-606	0100-101658-606	42.00	6	15.00	3803	125	5.56
0100-100858-607	0100-100658-607	0100-101658-607	42.00	7	17.50	4437	146	6.48
0100-100858-608	0100-100658-608	0100-101658-608	42.00	8	20.00	5071	167	7.41
0100-100858-609	0100-100658-609	0100-101658-609	42.00	9	22.50	5705	188	8.33
0100-100858-610	0100-100658-610	0100-101658-610	42.00	10	25.00	6339	209	9.26
0100-100858-611	0100-100658-611	0100-101658-611	42.00	11	27.50	6973	230	10.19
0100-100858-612	0100-100658-612	0100-101658-612	42.00	12	30.00	7607	251	11.11
0100-100858-613	0100-100658-613	0100-101658-613	42.00	13	32.50	8240	272	12.04
0100-100858-614	0100-100658-614	0100-101658-614	42.00	14	35.00	8874	293	12.97
0100-100858-615	0100-100658-615	0100-101658-615	42.00	15	37.50	9508	314	13.89
0100-100858-616	0100-100658-616	0100-101658-616	42.00	16	40.00	10142	334	14.82
0100-100858-617	0100-100658-617	0100-101658-617	42.00	17	42.50	10776	355	15.74
0100-100858-618	0100-100658-618	0100-101658-618	42.00	18	45.00	11410	376	16.67
0100-100858-619	0100-100658-619	0100-101658-619	42.00	19	47.50	12044	397	17.60
0100-100858-620	0100-100658-620	0100-101658-620	42.00	20	50.00	12678	418	18.52
0100-100858-621	0100-100658-621	0100-101658-621	42.00	21	52.50	13312	439	19.45
0100-100858-622	0100-100658-622	0100-101658-622	42.00	22	55.00	13945	460	20.37
0100-100858-623	0100-100658-623	0100-101658-623	42.00	23	57.50	14579	481	21.30
0100-100858-624	0100-100658-624	0100-101658-624	42.00	24	60.00	15213	502	22.23
0100-100858-625	0100-100658-625	0100-101658-625	42.00	25	62.50	15847	523	23.15
0100-101756-601	0100-101758-601	0100-101757-601	43.31	1	2.50	654	22	0.95
0100-101756-602	0100-101758-602	0100-101757-602	43.31	2	5.00	1307	43	1.91
0100-101756-603	0100-101758-603	0100-101757-603	43.31	3	7.50	1961	65	2.86
0100-101756-604	0100-101758-604	0100-101757-604	43.31	4	10.00	2615	86	3.82
0100-101756-605	0100-101758-605	0100-101757-605	43.31	5	12.50	3268	108	4.77
0100-101756-606	0100-101758-606	0100-101757-606	43.31	6	15.00	3922	129	5.73
0100-101756-607	0100-101758-607	0100-101757-607	43.31	7	17.50	4576	151	6.68
0100-101756-608	0100-101758-608	0100-101757-608	43.31	8	20.00	5229	172	7.64
0100-101756-609	0100-101758-609	0100-101757-609	43.31	9	22.50	5883	194	8.59
0100-101756-610	0100-101758-610	0100-101757-610	43.31	10	25.00	6537	216	9.55
0100-101756-611	0100-101758-611	0100-101757-611	43.31	11	27.50	7190	237	10.50
0100-101756-612	0100-101758-612	0100-101757-612	43.31	12	30.00	7844	259	11.46
0100-101756-613	0100-101758-613	0100-101757-613	43.31	13	32.50	8497	280	12.41
0100-101756-614	0100-101758-614	0100-101757-614	43.31	14	35.00	9151	302	13.37
0100-101756-615	0100-101758-615	0100-101757-615	43.31	15	37.50	9805	323	14.32
0100-101756-616	0100-101758-616	0100-101757-616	43.31	16	40.00	10458	345	15.28

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-101756-617	0100-101758-617	0100-101757-617	43.31	17	42.50	11112	366	16.23
0100-101756-618	0100-101758-618	0100-101757-618	43.31	18	45.00	11766	388	17.19
0100-101756-619	0100-101758-619	0100-101757-619	43.31	19	47.50	12419	410	18.14
0100-101756-620	0100-101758-620	0100-101757-620	43.31	20	50.00	13073	431	19.10
0100-101756-621	0100-101758-621	0100-101757-621	43.31	21	52.50	13727	453	20.05
0100-101756-622	0100-101758-622	0100-101757-622	43.31	22	55.00	14380	474	21.01
0100-101756-623	0100-101758-623	0100-101757-623	43.31	23	57.50	15034	496	21.96
0100-101756-624	0100-101758-624	0100-101757-624	43.31	24	60.00	15688	517	22.92
0100-101756-625	0100-101758-625	0100-101757-625	43.31	25	62.50	16341	539	23.87
0100-101756-626	0100-101758-626	0100-101757-626	43.31	26	65.00	16995	560	24.83
0100-101756-627	0100-101758-627	0100-101757-627	43.31	27	67.50	17649	582	25.78
0100-101756-628	0100-101758-628	0100-101757-628	43.31	28	70.00	18302	604	26.74
0100-101756-629	0100-101758-629	0100-101757-629	43.31	29	72.50	18956	625	27.69
0100-101756-630	0100-101758-630	0100-101757-630	43.31	30	75.00	19610	647	28.65
0100-101756-631	0100-101758-631	0100-101757-631	43.31	31	77.50	20263	668	29.60
0100-101756-632	0100-101758-632	0100-101757-632	43.31	32	80.00	20917	690	30.56
0100-101756-633	0100-101758-633	0100-101757-633	43.31	33	82.50	21571	711	31.51
0100-101756-634	0100-101758-634	0100-101757-634	43.31	34	85.00	22224	733	32.47
0100-101756-635	0100-101758-635	0100-101757-635	43.31	35	87.50	22878	754	33.42
0100-101756-636	0100-101758-636	0100-101757-636	43.31	36	90.00	23532	776	34.38
0100-100858-701	0100-100658-701	0100-101658-701	48.00	1	2.50	724	24	1.06
0100-100858-702	0100-100658-702	0100-101658-702	48.00	2	5.00	1449	48	2.12
0100-100858-703	0100-100658-703	0100-101658-703	48.00	3	7.50	2173	72	3.18
0100-100858-704	0100-100658-704	0100-101658-704	48.00	4	10.00	2898	96	4.23
0100-100858-705	0100-100658-705	0100-101658-705	48.00	5	12.50	3622	119	5.29
0100-100858-706	0100-100658-706	0100-101658-706	48.00	6	15.00	4347	143	6.35
0100-100858-707	0100-100658-707	0100-101658-707	48.00	7	17.50	5071	167	7.41
0100-100858-708	0100-100658-708	0100-101658-708	48.00	8	20.00	5795	191	8.47
0100-100858-709	0100-100658-709	0100-101658-709	48.00	9	22.50	6520	215	9.53
0100-100858-710	0100-100658-710	0100-101658-710	48.00	10	25.00	7244	239	10.58
0100-100858-711	0100-100658-711	0100-101658-711	48.00	11	27.50	7969	263	11.64
0100-100858-712	0100-100658-712	0100-101658-712	48.00	12	30.00	8693	287	12.70
0100-100858-713	0100-100658-713	0100-101658-713	48.00	13	32.50	9418	311	13.76
0100-100858-714	0100-100658-714	0100-101658-714	48.00	14	35.00	10142	334	14.82
0100-100858-715	0100-100658-715	0100-101658-715	48.00	15	37.50	10867	358	15.88
0100-100858-716	0100-100658-716	0100-101658-716	48.00	16	40.00	11591	382	16.93

TABLE 4: Ordering Information for Corrugated Radiators, 10" Depth

MILD STEEL PART NUMBERS	SS 304L PART NUMBERS	SS 409 PART NUMBERS	Panel Height (in)	# of Panel/ Fins	Panel Length (in)	Eff. Cool. Area (in ²)	Weight (Pounds)	Volume (Gallons)
0100-100858-717	0100-100658-717	0100-101658-717	48.00	17	42.50	12315	406	17.99
0100-100858-718	0100-100658-718	0100-101658-718	48.00	18	45.00	13040	430	19.05
0100-100858-719	0100-100658-719	0100-101658-719	48.00	19	47.50	13764	454	20.11
0100-100858-720	0100-100658-720	0100-101658-720	48.00	20	50.00	14489	478	21.17
0100-100858-721	0100-100658-721	0100-101658-721	48.00	21	52.50	15213	502	22.23
0100-100858-722	0100-100658-722	0100-101658-722	48.00	22	55.00	15938	526	23.28
0100-100858-723	0100-100658-723	0100-101658-723	48.00	23	57.50	16662	549	24.34
0100-100858-724	0100-100658-724	0100-101658-724	48.00	24	60.00	17386	573	25.40
0100-100858-725	0100-100658-725	0100-101658-725	48.00	25	62.50	18111	597	26.46
0100-100858-001	0100-100658-001	0100-101658-001	54.00	1	2.50	815	27	1.19
0100-100858-002	0100-100658-002	0100-101658-002	54.00	2	5.00	1630	54	2.38
0100-100858-003	0100-100658-003	0100-101658-003	54.00	3	7.50	2445	81	3.57
0100-100858-004	0100-100658-004	0100-101658-004	54.00	4	10.00	3260	108	4.76
0100-100858-005	0100-100658-005	0100-101658-005	54.00	5	12.50	4075	134	5.95
0100-100858-006	0100-100658-006	0100-101658-006	54.00	6	15.00	4890	161	7.14
0100-100858-007	0100-100658-007	0100-101658-007	54.00	7	17.50	5705	188	8.33
0100-100858-008	0100-100658-008	0100-101658-008	54.00	8	20.00	6520	215	9.53
0100-100858-009	0100-100658-009	0100-101658-009	54.00	9	22.50	7335	242	10.72
0100-100858-010	0100-100658-010	0100-101658-010	54.00	10	25.00	8150	269	11.91
0100-100858-011	0100-100658-011	0100-101658-011	54.00	11	27.50	8965	296	13.10
0100-100858-012	0100-100658-012	0100-101658-012	54.00	12	30.00	9780	323	14.29
0100-100858-013	0100-100658-013	0100-101658-013	54.00	13	32.50	10595	349	15.48
0100-100858-014	0100-100658-014	0100-101658-014	54.00	14	35.00	11410	376	16.67
0100-100858-015	0100-100658-015	0100-101658-015	54.00	15	37.50	12225	403	17.86
0100-100858-016	0100-100658-016	0100-101658-016	54.00	16	40.00	13040	430	19.05
0100-100858-017	0100-100658-017	0100-101658-017	54.00	17	42.50	13855	457	20.24
0100-100858-018	0100-100658-018	0100-101658-018	54.00	18	45.00	14670	484	21.43
0100-100858-019	0100-100658-019	0100-101658-019	54.00	19	47.50	15485	511	22.62
0100-100858-020	0100-100658-020	0100-101658-020	54.00	20	50.00	16300	538	23.81
0100-100858-021	0100-100658-021	0100-101658-021	54.00	21	52.50	17115	564	25.00
0100-100858-022	0100-100658-022	0100-101658-022	54.00	22	55.00	17930	591	26.20
0100-100858-023	0100-100658-023	0100-101658-023	54.00	23	57.50	18745	618	27.39
0100-100858-024	0100-100658-024	0100-101658-024	54.00	24	60.00	19560	645	28.58
0100-100858-025	0100-100658-025	0100-101658-025	54.00	25	62.50	20375	672	29.77

NOTES



Corrugated Radiators



Howard Industries, Inc.
Certified to ISO 9001:2015
10002179

Catalog Section 61-31
Document 2.4.111, Revision 4, February, 2019
Copyright © 2017 Howard Industries, Inc.
Laurel, Mississippi
Telephone: 601-425-3151
Fax: 601-649-8090
E-mail: mkt@howard.com
Web: howardtransformers.com